## CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to incorrect information.	the attached WWC-5 log, in order to file the item or to rectify lacking or
meditect infolliation.	

<u> - W-L</u>	$\partial I$	اديم	100/WATE	R WELL RECORD FOR	orm WWC-5	KSA 82a	1212			
<b>-</b>	ON OF WAT		Fraction 1/4	NW 14 SW		ion Number 34	Township Numl		Range Number	
Distance a	ind direction	from nearest to	1	address of well if located		uncia	0 + 4 = 5	L		
2 WATER	R WELL OW	NER Co.	tal Mai		<del></del>	9000				
	Address, Box	* # £ 50	tay les	Ž ,			Board of Agric	culture Divis	ion of Water Resources	
City, State	, ZIP Code	: Wich	Box 103	67201-1030	900		Application N	umber:		
J LOCATE	E WELL'S LO IN SECTION	OCATION WITH		COMPLETED WELL			TION:			
AN A_	IN SECTION	7 BOX.	Depth(s) Ground	dwater Encountered 1	a an ···	ft. 2		ft. 3		
7	!		WELL'S STATION	WATER LEVEL 🞾 .	.7.77ft. be	low land sur	face measured on me	o/day/yr	11.7.6.7.15	
	_ NW	- NF -	Pum	p test data: Well water	was	ft. af	terh	nours pumpir	ng gpm	
	1		Est. Yield	gpm: Well water	was	ft. af	terh	ours pumpin	ıg gpm	
<u>•</u>	i		Bore Hole Diam	eterin. to			and	in. to	<u></u> ,, ft.	
w F			WELL WATER	TO BE USED AS: 5	Public water	supply	8 Air conditioning	11 Injec	tion well-bection	
7	\'\x'.		1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12 Othe	r (Specify below) Wuf	
	- 2M	36	2 Irrigation	4 Industrial 7	Lawn and g	arden only 1	0 Monitoring well	,		
1 1	i		Was a chemical	bacteriological sample sul	bmitted to De	partment? Ye	sNoX	; If yes, mo/	day/yr sample was sub-	
1 -	5		mitted				er Well Disinfected?		No X	
5 TYPE C	OF BLANK C	CASING USED:		5 Wrought iron	8 Concre	te tile	CASING JOINT	S: Glued	Clamped	
است 1 Ste	eel	3 RMP (S	R)	6 Asbestos-Cement	9 Other (	specify below	<i>(</i> )	Welded .		
(2 PV	_	4 ABS	,	7 Fiberglass	`	, .		Threaded	J. Hush	
<u> </u>			.in. to	ft., Dia				in. t	5 / ft.	
	-		- A /h-/	.in., weight					•	
_	-	R PERFORATIO	•	, woight	(7 PVC			tos-cement		
1 Ste		3 Stainles:		5 Fiberglass	`	SR)				
2 Bra		4 Galvaniz		6 Concrete tile	9 ABS			used (open h		
		RATION OPENIN		5 Gauzed		,	8 Saw cut	• •	None (open hole)	
			Mill slot	6 Wire wr		• •			radile (open noie)	
	ntinuous slo						9 Drilled holes			
	uvered shutt		(ey punched	7 Torch c	" ( <b>3</b> (3) (7)	<b>4</b> F	TO Other (specify) .	44 40	4	
SCHEEN-	PERFORATI	ED INTERVALS:								
_	DAVE DA	OK INTERVALO								
·	HAVEL PA	CK INTERVALS:		ft. to	, ,	•			ft.	
1 00010		4 N	From	ft. to	(C)	ft., Fron		ft. to		
	MATERIAL		cement	2 Cement grout	(3 Bento	lite 4				
Grout Inter				ft., From	π. 1					
		ource of possible		<b></b> : .			ock pens		loned water well	
	ptic tank		ral lines	7 Pit privy		11 Fuel s	-	15 Oil well/Gas well		
	wer lines	5 Cess	•	8 Sewage lagoo	n		ilizer storage 16 Other (specify below)			
	•	er lines 6 Seep	page pit	9 Feedyard 13 Inse			ecticide storage			
Direction f						How mar	ny feet?	CONO INTE	DVALO	
FROM	то		LITHOLOGIC	LOG	FROM	TO	PLUG	GING INTE	HVALS	
					999	Ø	Dentout	<u>کـــــــ</u>		
							,			
	**									
							· · · · · · · · · · · · · · · · · · ·			
7 00:	14070510		DIO OEDTIEIO:	IONI. This	(4)	tod (0) :	notrusted of oil	100d 30d== =	ny juriodiation and was	
		OR LANDOWNE	rs certificat 	ION: This water well was						
	-	/year)	رسان العاجبان					of my knowle	dge and belief. Kansas	
			····	This Water Wel	Hecord was			in cost	1	
unaer the	business na	me or	>+			by (signat	ure)	enon	your	