


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

X Location of well: County <u>Harvey</u> Fraction <u>SE 1/4 SE 1/4 SE 1/4</u> Section number <u>1</u> Township number <u>T 24</u> Range number <u>S 1 R 1 E 1</u>																									
X Distance and direction from nearest town or city: <u>4 N.</u> Street address of well location if in city: <u>3 E Sedgwick</u>																									
3. Owner of well: <u>McLain Grain Co</u> R.R. or street: <u>Route 1</u> City, state, zip code: <u>Sedgwick, Ks.</u>																									
4. Locate with "X" in section below: Sketch map: <u>Kansas</u>																									
																									
5. Type and color of material																									
<table border="1"><thead><tr><th></th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>Topsoil</u></td><td><u>0</u></td><td><u>6</u></td></tr><tr><td><u>Gray clay</u></td><td><u>6</u></td><td><u>18</u></td></tr><tr><td><u>fine sand</u></td><td><u>18</u></td><td><u>22</u></td></tr><tr><td><u>Blue clay</u></td><td><u>22</u></td><td><u>34</u></td></tr><tr><td><u>medium sand with clay balls</u></td><td><u>34</u></td><td><u>37</u></td></tr><tr><td><u>Blue clay</u></td><td><u>37</u></td><td><u>39</u></td></tr><tr><td><u>Blue shale</u></td><td><u>39</u></td><td><u>50</u></td></tr></tbody></table>			From	To	<u>Topsoil</u>	<u>0</u>	<u>6</u>	<u>Gray clay</u>	<u>6</u>	<u>18</u>	<u>fine sand</u>	<u>18</u>	<u>22</u>	<u>Blue clay</u>	<u>22</u>	<u>34</u>	<u>medium sand with clay balls</u>	<u>34</u>	<u>37</u>	<u>Blue clay</u>	<u>37</u>	<u>39</u>	<u>Blue shale</u>	<u>39</u>	<u>50</u>
	From	To																							
<u>Topsoil</u>	<u>0</u>	<u>6</u>																							
<u>Gray clay</u>	<u>6</u>	<u>18</u>																							
<u>fine sand</u>	<u>18</u>	<u>22</u>																							
<u>Blue clay</u>	<u>22</u>	<u>34</u>																							
<u>medium sand with clay balls</u>	<u>34</u>	<u>37</u>																							
<u>Blue clay</u>	<u>37</u>	<u>39</u>																							
<u>Blue shale</u>	<u>39</u>	<u>50</u>																							
6. Bore hole dia. <u>11</u> in. Completion date <u>3-26-76</u> Well depth <u>50</u> ft.																									
7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug Hollow rod <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																									
8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other																									
9. Casing: Material <u>steel</u> Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <u>5</u> PVC <input type="checkbox"/> Weight <u>30</u> lbs./ft. Dia. <u>5</u> in. to <u>30</u> ft. depth Wall Thickness: inches or Dia. <u>5</u> in. to <u>30</u> ft. depth gage No. <u>200</u>																									
10. Screen: Manufacturer's name <u>Sunflow Plaster</u> Type <u>slotted</u> Dia. <u>5 1/2</u> Slot/gauze <u>1.08</u> Length <u>25</u> Set between <u>25</u> ft. and <u>50</u> ft. Gravel pack? <u>yes</u> size range of material <u>1/4-1/8"</u>																									
11. Static water level: <u>20</u> ft. below land surface mo./day/yr. <u>3-26-76</u>																									
12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.																									
13. Water sample submitted: <u>yes</u> mo./day/yr. <u>3-26-76</u> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date																									
14. Well head completion: <u>12</u> Capped Pitless adapter <u>12</u> inches above grade																									
15. Well grouted? <u>yes</u> With: Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Depth: From <u>40</u> ft. to <u>14</u> ft.																									
16. Nearest source of possible contamination: <u>NONE</u> ft. Direction Type Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																									
17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																									
18. Elevation: 19. Remarks: <u>Flat Ground</u> <u>No apparent source for contamination.</u>																									
20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>236</u> Business name <u>Harshwell & Pump</u> License No. <u>1/4</u> Address <u>Wichita, Kansas</u> Signed <u>M. Arnold</u> Date <u>3-30-76</u> Authorized representative																									