LOCATION					Form WWC-5	KSA 82a-			
		R WELL:	Fraction	ar.	1	tion Number	Township		Range Number
County: HA		rom pearact to	SE 1/4		NE 1/4	4	т 24	<u> </u>	R 1 W ★/W
			•	ddress of well if locate					
1½ mi.	So. 01	Hwy 50 or	<u>i Ridge Rd.</u>	. Newt	on, Kansa	S			
-		ER: Clifto		197 y 5				And D	Shalalan ad Marka - =
RR#, St. Add			olumbus	(711/				•	Division of Water Resources
		: Newton			50		Applicati	on Number:	
AN "X" IN	VELL'S LO SECTION N								
Ī	, ,	- NE							11-10-83 mping gpm
'	'\\' -	175     1	Est. Yield	gpm: Well wat	er was	ft. af	ter	hours pu	mping gpm
<u> </u>	i	I X	Bore Hole Diame	eter $\dots$ 1 $1\dots$ in. to		ft., ε	and	in.	to
. <u>₹</u> w	! ]	i	WELL WATER T	O BE USED AS:	5 Public water	r supply	8 Air conditionii	ng 11	Injection well
ī L_	w l	SE	1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12	Other (Specify below)
I [-	7 - 7	- î	2 Irrigation		=======		0 Observation		
⇃ └─	1	\	Was a chemical/t	bacteriological sample	submitted to De			-	mo/day/yr sample was sub
	S		mitted			Wat	er Well Disinfed	ted? Yes	X No
TYPE OF	BLANK CA	ASING USED:		5 Wrought iron	8 Concre	ete tile	CASING J	OINTS: Glued	d.XClamped
1 Steel		3 RMP (SR	)_	6 Asbestos-Cement	9 Other	(specify below	<b>'</b> )	Weld	ed
2 PVC		4 ABS		7 Fiberglass	Cer-Ma	ac .styrer	e SDR-26	Threa	aded
Blank casing	diameter .	5 i	n. to	30. ft., Dia	in. to		ft., Dia		in. to ft.
Casing height	t above lar	nd surface	12	.in., weight	159	Ibs./f	t. Wall thicknes	s or gauge N	o <b>.</b> 203
TYPE OF SC	REEN OR	PERFORATION	MATERIAL:		7 PV	С	10 A	sbestos-ceme	ent
1 Steel		3 Stainless	steel	5 Fiberglass	8 RM	IP (SR)	11 C	ther (specify)	
2 Brass	;	4 Galvanize	ed steel	6 Concrete tile	9 AB	S	12 N	one used (op	en hole)
SCREEN OR	PERFOR	ATION OPENING	SS ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (open hole)
1 Contir	nuous slot	3 Mil	l slot	6 Wire	wrapped		9 Drilled hole	s	
2 Louve	ered shutte	r 4 Ke	y punched	7 Torc	h cut		10 Other (spec	;ify)	
SCREEN-PER	RFORATE	D INTERVALS:	From	30 ft. to .	50			• .	o
			_						
			From	ft. to .				ft. t	o
` GRA	AVEL PAC	K INTERVALS:				ft., Fror	n		o
GR/	AVEL PAC	K INTERVALS:	From	14 ft. to .	50	ft., Fror	n	ft. t	o
GRA 6 GROUT M			From From	14 ft. to . ft. to	50	ft., Fror ft., Fror ft., Fror	m	ft. t	o
GROUT M			From From	14 ft. to . ft. to	50	ft., Fror ft., Fror ft., Fror	m	ft. t	o
6 GROUT M Grout Interval	MATERIAL:		From From ement ft. to 10	14 ft. to . ft. to	50	ft., Frorft., Fror ft., Fror nite 4 to	m	ft. t	o
6 GROUT M Grout Interval	MATERIAL: Is: From nearest sou	1 Neat co	From From ement ft. to 10 contamination:	14 ft. to	50	ft., Fror tt., Fror ft., Fror nite 4 to	n	ft. t	o
GROUT M Grout Interval What is the n	MATERIAL: lls: From nearest sou c tank	1 Neat conduction 1 Neat condu	From From ement ft. to 10 contamination:	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror ft., Fror nite 4 to	n	ft. t ft. t	o
GROUT M Grout Interval What is the n 1 Septic 2 Sewer	MATERIAL: Is: From nearest sou c tank er lines	1 Neat of 1 Neat	From From ement ft. to 1.0 contamination: al lines pool	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror ft., Fror nite 4 to	nn  Other  ft., From tock pens storage zer storage	14 A	o
GROUT M Grout Interval What is the n 1 Septic 2 Sewer 3 Water	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe	1 Neat conduction 1 Neat condu	From From ement ft. to 1.0 contamination: al lines pool	14 ft. to ft. to	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A	o
GROUT M Grout Interval What is the n 1 Septic 2 Sewer 3 Water	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe	1 Neat of 1 Neat	From From ement ft. to 1.0 contamination: al lines pool	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A	o
GROUT M Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well?	1 Neat or 0	From From ement ft. to 1.0 contamination: al lines pool age pit	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3	1 Neat or 0	From From From From From From From From	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3	MATERIAL: Ils: From nearest sou or tank or lines rtight sewe m well? TO 3 17	1 Neat or 0	From From From From From From From From	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewel 3 Water Direction from FROM 0 3 17	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28	1 Neat or 0	FromFrom ement ft. to10 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess 1 Ince 6 Seepa  Topsoil Fine Sand Clay Fine Sand	FromFrom ement ft. to10 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay	From From ement ft. to 1,0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay Fine Sand	From From ement ft. to 1.0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay	From From ement ft. to 1.0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay Fine Sand	From From ement ft. to 1.0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay Fine Sand	From From ement ft. to 1.0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay Fine Sand	From From ement ft. to 1.0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay Fine Sand	From From ement ft. to 1.0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay Fine Sand	From From ement ft. to 1.0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay Fine Sand	From From ement ft. to 1.0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45	1 Neat or 1 Neat or 1 Neat or 2 Ince of possible of 4 Latera 5 Cess or lines 6 Seepa  Topsoil Fine Sand Clay Fine Sand Clay Fine Sand	From From ement ft. to 1.0 contamination: al lines pool age pit  LITHOLOGIC	14 ft. to ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	nn  Othertt, From tock pens storage zer storage ticide storage	14 A 15 C 16 C	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34 45	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45 50	1 Neat or 0	From From ement ft. to 10 contamination: al lines pool age pit	14	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to 10 Lives: 11 Fuel: 12 Fertili 13 Insec How man TO	n	14 A 15 C 16 C No LITHOLOG	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34 45	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45 50	1 Neat or 0	From From ement ft. to 10 contamination: al lines pool age pit	14	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to 10 Lives: 11 Fuel: 12 Fertili 13 Insec How man TO	n	14 A 15 C 16 C No LITHOLOG	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34 45	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45 50  CTOR'S Con (mo/day/y	1 Neat or 0	From From Ement ft. to 10 contamination: al lines pool age pit LITHOLOGIC  ES CERTIFICAT 83	14	3 Bento ft.	tt., Fror tt., F	on Other	14 A 15 C 16 C No LITHOLOG	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34 45	MATERIAL: Ils: From nearest sou c tank or lines rtight sewe m well? TO 3 17 28 31 34 45 50  CTOR'S Con (mo/day/y	1 Neat or 0	From From Ement ft. to 10 contamination: al lines pool age pit LITHOLOGIC  ES CERTIFICAT 83	14	3 Bento ft.	tt., Fror tt., F	on Other	14 A 15 C 16 C No LITHOLOG	o
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34 45	MATERIAL: Is: From nearest sou of tank or lines ritight sewe m well? TO 3 17 28 31 34 45 50  CTOR'S On (mo/day/y) Contractor's	1 Neat or 0	From From From From From From From From	14	3 Bento ft.  3 Bento ft.  Goon  FROM  Was (1) constru	tt., Fror tt., F	on Other	14 A 15 C 16 C No LITHOLOG	der my jurisdiction and was
GROUT M. Grout Interval What is the n 1 Septic 2 Sewer 3 Water Direction from FROM 0 3 17 28 31 34 45  CONTRAC completed on Water Well Counder the bus INSTRUCTIO	MATERIAL: Ils: From nearest sou of tank or lines ritight sewe m well? TO 3 17 28 31 34 45 50  CTOR'S On m (mo/day/) Contractor's siness nam ONS: Use to	1 Neat or 0	From From From From From From From From	14	3 Bento ft.  3 Bento ft.  3 Bento ft.  4 Construction of the const	tt., Fror tt., Fror ft., F	on ther ft., From tock pens storage zer storage ticide storage ticide storage hy feet?	14 A 15 C 16 C No LITHOLOG  LITHOLOG  LITHOLOG  LITHOLOG  LITHOLOG  LITHOLOG  LITHOLOG  LITHOLOG  LITHOLOG  LITHOLOG	der my jurisdiction and was