

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Harvey</u>		<u>SE</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$	<u>4</u>	T <u>24</u> S	R <u>1</u> EW
Distance and direction from nearest town or city street address of well if located within city?					

2 WATER WELL OWNER: <u>Donovan Seiler</u>		EBWQA 8664 Board of Agriculture, Division of Water Resources Application Number:
RR#, St. Address, Box # : <u>R1 Box 23</u>		
City, State, ZIP Code : <u>Halstead, KS 67056</u>		

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>60</u> ft. ELEVATION:	
		Depth(s) Groundwater Encountered <u>1</u> ft. 2. ft. 3. ft.	
		WELL'S STATIC WATER LEVEL <u>40</u> ft. below land surface measured on mo/day/yr <u>5/26/92</u>	
		Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm	
		Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm	
		Bore Hole Diameter _____ in. to _____ ft., and _____ in. to _____ ft.	
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes _____ No ☒		If yes, mo/day/yr sample was submitted _____	
Water Well Disinfected? Yes ☒ No			

5 TYPE OF BLANK CASING USED:		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued _____ Clamped _____	
1 Steel		3 RMP (SR)		6 Asbestos-Cement		9 Other (specify below)	
2 PVC		4 ABS		7 Fiberglass		Welded _____	
Blank casing diameter _____ in. to _____ ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.						Threaded _____	
Casing height above land surface _____ in., weight _____ lbs./ft. Wall thickness or gauge No. _____							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC		10 Asbestos-cement			
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
1 Continuous slot		3 Mill slot		6 Wire wrapped		9 Drilled holes	
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify) <u>NA</u>	
SCREEN-PERFORATED INTERVALS:		From _____ ft. to _____ ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.					
GRAVEL PACK INTERVALS:		From _____ ft. to _____ ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.					

6 GROUT MATERIAL:		1 Neat cement		2 Cement grout		3 Bentonite		4 Other _____	
Grout Intervals: From <u>40</u> ft. to <u>3</u> ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.									
What is the nearest source of possible contamination:		10 Livestock pens		14 Abandoned water well					
1 Septic tank		4 Lateral lines		7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		13 Insecticide storage			
Direction from well?		How many feet? <u>100 - 200 ft</u>							

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>60</u>	<u>40</u>	<u>Chlorinated Sand</u>
			<u>340</u>	<u>3</u>	<u>bentonite</u>
			<u>3</u>	<u>0</u>	<u>Soil</u>