## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

						peka, Kalisas 00020	
County	Fraction		Section r	number	Township number	Range number	
1. Location of well: HARVE	Y WW 1/4 NW 1/4/	1 ich/4	2		1 24	S R	₩/W
2. Distance and direction from nearest town or city: 2 No 3. Owner of well: MAR							艺
Street address of well location if in city:					Ogwick, KANSAS		
	WEST OF SEOGN	City, s	tate, zip c	ode:	671	3.5	-11 -71
4. Locate with "X" in section below:  Sketch map:  Sketch map:					6. Bore hole dia. 30 in. Completion date 5-16-75.  Well depth 44 ft.		
The bit is				f	7 Cable tool Rotar	ry Driven Duc	
					Hollow rod Jette	. — — .	· I
				8. Use: Domestic Public supply Industry			
* W ! ! ! E				X Irrigation Air conditioning Stock			
				9. Casing: Materia   Casing: Materia   Height: Above or below mile			
					9. Casing: Material Height: Above below Milk.  Threaded Welded isurface in.		
					RMPPVCIWeight 32Ibs./ft.		
11 Mile					Dia 16 in. to 44 ft. d	epth Wall Thickness: i	nches or
5. Type and color of material			From	То	Dia in. to ft. d		
					10. Screen: Manufacturer' AUDUCA T:	LE CO	
700	Soil		0	5	Type TOANS! TE		
C 02	- Boal		5	28	Slot/gauze	Length	MIC
	7				ft	. and	ft.
SAN	10-med		28	33	Gravel pack	range of material	411
Clas	44 914		33	38	11. Static water level:		o./day/yr.
-					30 ft. below land		7-17
<i>5an</i>	D- mil to fe	ne	38	51	12. Pumping level below by ft. after		<u>₽</u> g.p.m.
Sou	M- COUDSB.		51	60	ft. after	hrs. pumping	g.p.m.
	C: 7 h				Estimated maximum yield -		g.p.m.
541	10 - Fine To D	red.	60	96	<ol> <li>Water sample submitted</li> <li>Yes No</li> </ol>	d: mo	o./day/yr.
CIA	y Bulh		96	1005			
	7 20 = 0				Pitless adapter	Inches above	
	11150		105	//4	15. Well grouted?	= Suddla	velog N
Cia	an BRN.		114	120	With: Neat cement Pepth: From ft.		Concrete
			1.7_0	م درز	16. Nearest source of poss		Les e
<i></i>	W FINE		120	132	Direction ;	1700	well
Cla	+ Buff		132	137	Well disinfected upon com	·	No.
Fa	10 - m.0		137	144	17. Pump:  Manufacturer's name	Viten Lea	& Onder
BA			7.57	1	Model number	HP ∨	BIH L
Cos	160 LUMETE		144	145	zengm or arop pipe	2 ft. capacity	20g.p.m.
Carrie	2 144 14		-		Type: Submersible	🔀 Turbi	ne "
14 p					Jet	Recip	procating
l	(Use a second sheet if needed)			L	Centrifugal	Othe	<u> </u>
18. Elevation: 19. Remarks:					20. Water well contractor This well was drilled unde		nis report
					is true to the best of my ki		
Topography:					Peterson 2M.	inc 13	<u>xa</u>
Hill Slope					Business pame Address Address	a Hora	icense No.
Slope Upland					Signed Welly 63	leur Dat	1.2.1
Valley					Authorized	representative	77