

1	LOCATION OF WATER WELL:	FRACTION	Section Number	Township Number	Range Number
	Harvey	NE 1/4 NE 1/4 SE 1/4	33	T 24 S	R 1W E/W

Distance and direction from nearest town or city street address of well if located within city?

417 W. 6th Sedgwick, Kansas

WATER WELL OWNER: NILES, Betty

RR#, ST. ADDRESS, BOX #: 417 W. 6th


CITY, STATE, ZIP CODE: Sedgwick, Kansas

Board of Agriculture, Division of Water Resource

Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4	DEPTH OF COMPLETED WELL	84	ft.	ELEVATION:	
	Depth(s) groundwater Encountered	1	ft.	2	ft.
	WELL'S STATIC WATER LEVEL	15	FT. BELOW LAND SURFACE MEASURED ON	mo/day/yr	06/17/1999



Pump test data:		Well water was	ft.	after	hours pumping	gpm
Est. Yield	gpm:	Well water was	ft.	after	hours pumping	gpm
Bore Hole Diameter	12	in. to 84	ft.	and	in. to	ft.
WELL WATER TO BE USED AS:		5 Public water supply	8 Air conditioning		11 Injection well	
1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering		12 Other (Specify below)	
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well			

Was a chemical/bacteriological sample submitted to Department? Yes ☐ No ☒ ; If yes, mo/day/yr sample was submitted _____

Water Well Disinfected? Yes ☒ No ☐

5 TYPE OF CASING USED:		5 Wrought iron		8 Concrete tile		CASING JOINTS:		Glued <input checked="" type="checkbox"/> Clamped	
1 Steel		3 RMP (SR)		6 Asbestos-Cement		9 Other (Specify below)		Welded	
2 PVC		4 ABS		7 Fiberglass		SDR - 26		Threaded	
Blank casing Diameter		5 in. to 69		ft., Dia		in. to		ft., Dia in. to ft.	
Casing height above land surface		12 in.,		weight 2.35		lbs. / ft.		Wall thickness or gauge No. .214	
TYPE OF SCREEN OR PERFORATION MATERIAL:				7 PVC		10 Asbestos-cement			
1 Steel		3 Stainless Steel		5 Fiberglass		8 RMP (SR)		11 other (specify)	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE:				5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
1 Continous slot		3 Mill slot		6 Wire wrapped		9 Drilled holes			
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify)			
SCREEN-PERFORATION INTERVALS:		from 69		ft. to 84		ft., From		ft. to ft.	
						ft., From		ft. to ft.	
GRAVEL PACK INTERVALS:		from 24		ft. to 84		ft., From		ft. to ft.	
						ft., From		ft. to ft.	

6	GROUT MATERIAL: 1 Neat cement		2 Cement grout		3 Bentonite		4 Other								
Grout Intervals: From 4		ft. to 24		ft. From		ft. to		ft. From		ft. to		ft.			
What is the nearest source of possible contamination:												10 Livestock pens		14 Abandon water well	
1 Septic tank		4 Lateral lines		7 Pit privy		11 Fuel storage		15 Oil well/Gas well							
2 Sewer lines		5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)							
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		13 Insecticide storage									

Direction from well? Northwest

How many feet? 20

[illegible]

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 06/17/1999 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)..... 06/18/99 Under the business name of Harp Well & Pump Service, Inc. by (signature) _____

Todd S. Harp