I oca	TION OF WA	TEN MELL	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212	T	T	
1 LOCATION OF WATER WELL:			1	95 N	,,	Section Number	Township Number	Range Number	
Harvey NE Distance and direction frem nearest town or city street address of we				SE 1/4 N.	E 1/4	33	T 24 s	R 1W E/W	
1/4 North of river on W. side of Ridge Sedgwick, Kansas									
WATER WELL OWNER: MADDEN NURSERY									
RR#, ST. ADRESS, BOX#: 919 Madison Board of Agriculture, Divivsion of Water Resource									
				ck, Kansas			Application Number:		
LOCAT	E WELL'S L	OCATION WITH 4	DEPTH OF COM	PLETED WELL	35	ft. ELEV	VATION:		
AN "X'	' IN SECTION	N BOX:	Depth(s) groundwa	ter Encountered	1	ft.	2 ft.	3 ft.	
1		W	VELL'S STATIC WA	- -	FT.	BELOW LAND SURI	FACE MEASURED ON mo/day/yr	06/17/1999	
	NW	NE X	Pump test		ater was	ft. a	fter hours pum	ping gpm	
<u> </u>			st. Yield	91	ater was		ifter hours pum		
M ₹		E	ore Hole Diameter		o 35	ft.	and in.	to ft.	
, ,			ELL WATER TO B 1 Domestic		Public water Oil field was		•	njection well Other (Specify below)	
	sw	sic	2 Irrigation		Lawn and g		Monitoring well	rulei (opecity below)	
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was								
S submitted Water Well Disinfected? Yes X No								• • •	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Stee	l	3 RMP (SR)		6 Asbestos-Cemen	t 9	Other (Specify bel	low) V	Velded	
2 PVC	:	4 ABS		7 Fiberglass	S	DR-26	Т	hreaded	
Blank casing Diameter 5 in. to 25 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2.5004								[*]	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
	n OR FEF nous slot	3 Mill slot	ING ARE:				9 Drilled holes	/ · · · · · (· F · · · · · · · · ·)	
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 25 ft. to 35 ft., From ft. to ft.									
			from	ft.		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS			LS: from 24		to 35	ft., From	ft. to	ft.	
			from	ft.	ft. to ft., From		ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
	tervals:]		ft. to 24	ft. From	ft.		ft. From	ft. to ft.	
What is the nearest source of possible contain				7 Pit privy		10 Livestoc 11 Fuel sto		14 Abandon water well	
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertiliza	,	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								ther (specify below)	
Direction from well? East How many feet? 90									
FROM	ТО		THOLOGIC LOG				PLUGGING INTERVALS		
0	3	topsoil							
3	15	clay			-				
15	24	fine sand							
24	30	medium sa	nd						
30	35	clay							
					<u> </u>				
					1				
						i			
						_			
						1			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Under the business name of HarpWell& PumpServiceInc by (signature)									
Jiiuel	are publi	IOOS HUHIC CHARMA	.g				Todd I	. Harp	
								·	