

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Harvey</u>	<u>SE 1/4 NE 1/4 NE 1/4</u>	<u>8</u>	T <u>24</u> S	R <u>1</u> EW

Distance and direction from nearest town or city street address of well if located within city?

From Halstead: 1 1/4 m S. / 3 m E.

2 WATER WELL OWNER: <u>Brad Klassen</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>5731 NW 36th</u>	Application Number: <u>43,672</u>
City, State, ZIP Code: <u>Newton KS 67114</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>145</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. <u>19</u> ft. 2. <u>145</u> ft. 3. <u>145</u> ft. WELL'S STATIC WATER LEVEL <u>19</u> ft. below land surface measured on mo/day/yr <u>6/10/00</u> Pump test data: Well water was <u>800</u> gpm. Well water was <u>145</u> ft. after <u>19</u> hours pumping <u>800</u> gpm. Est. Yield <u>800</u> gpm. Well water was <u>145</u> ft. after <u>19</u> hours pumping <u>800</u> gpm. Bore Hole Diameter <u>30</u> in. to <u>145</u> ft. and <u>145</u> in. to <u>145</u> ft. WELL WATER TO BE USED AS: 1 Domestic <u>2</u> Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Monitoring well 11 Injection well 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted <u>X</u> Water Well Disinfected? Yes <u>X</u> No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped <u>X</u>
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2</u> PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter <u>16</u> in. to <u>105</u> ft. Dia			11 Other (specify)
Casing height above land surface <u>12</u> in. weight <u>16</u> lbs./ft. Wall thickness or gauge No. <u>1/2</u> "			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	<u>2</u> Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS:			
From <u>105</u> ft. to <u>145</u> ft.			
GRAVEL PACK INTERVALS:			
From <u>20</u> ft. to <u>145</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	<u>2</u> Cement grout	3 Bentonite	4 Other
Grout Intervals:	From <u>2</u> ft. to <u>20</u> ft.	From <u>20</u> ft. to <u>145</u> ft.	From <u>145</u> ft. to <u>145</u> ft.	From <u>145</u> ft. to <u>145</u> ft.
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	<u>16</u> Other (specify below) <u>Pipe line</u>
Direction from well? <u>NE</u>			13 Insecticide storage	How many feet? <u>50</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	6	Sandy topsoil			
6	16	Brown clay			
16	24	Fine sand			
24	50	Brown clay			
50	60	Medium sand			
60	64	Tan clay			
64	73	Medium sand			
73	77	Gray clay			
77	145	Medium gravel			
145		Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>2</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-5-00</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>238</u> This Water Well Record was completed on (mo/day/yr) <u>6-18-00</u> under the business name of <u>Weninger Irrigation</u> by (signature) <u>Weninger</u>
