


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Harvey</u>	<u>NE 1/4 SE 1/4 SE 1/4</u>	<u>8</u>	T <u>24</u> S	R <u>1</u> E <u>W</u>

Distance and direction from nearest town or city street address of well if located within city?

From Halstead: 1 3/4 m S. / 3 m E.

2 WATER WELL OWNER: <u>Brad Klassen</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>5731 NW 36th</u>	Application Number: <u>42889</u>
City, State, ZIP Code: <u>Newton KS 67114</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>107</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered <u>17</u> ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL <u>17</u> ft. below land surface measured on mo/day/yr <u>6/10/00</u>
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield <u>900</u> gpm Well water was ft. after hours pumping gpm
	Bore Hole Diameter <u>30</u> in. to <u>107</u> ft. and in. to ft.
	WELL WATER TO BE USED AS:
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes <u>X</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped	
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
<u>PVC</u>	4 ABS	7 Fiberglass		Threaded
Blank casing diameter <u>16</u> in. to <u>77</u> ft. Dia				
Casing height above land surface <u>36</u> in. weight <u>16</u> lbs./ft. Wall thickness or gauge No. <u>1/2"</u>				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:				
1 Continuous slot	2 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:	From <u>77</u> ft. to <u>107</u> ft.			
	From ft. to ft.			
GRAVEL PACK INTERVALS:	From <u>20</u> ft. to <u>107</u> ft.			
	From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>20</u> ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	<u>None Open Field</u>
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>6</u>	<u>Sandy Topsoil</u>			
<u>6</u>	<u>28</u>	<u>Brown Clay</u>			
<u>28</u>	<u>45</u>	<u>Medium Sand</u>			
<u>45</u>	<u>47</u>	<u>Brown Clay</u>			
<u>47</u>	<u>53</u>	<u>Medium Sand</u>			
<u>53</u>	<u>57</u>	<u>Brown Clay</u>			
<u>57</u>	<u>60</u>	<u>Medium Sand</u>			
<u>60</u>	<u>65</u>	<u>Tan Clay</u>			
<u>65</u>	<u>75</u>	<u>Green Clay</u>			
<u>75</u>	<u>77</u>	<u>Fine Sand</u>			
<u>77</u>	<u>107</u>	<u>Medium Gravel</u>			
<u>107</u>		<u>Dark Clay</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-7-00</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>238</u> This Water Well Record was completed on (mo/day/yr) <u>6-18-00</u> under the business name of <u>Weninger Irrigation</u> by (signature) <u>Cathy Weninger</u>
