LOCA	TION OF W	ATED WELL	FRACTION	N.	Water Well Rec	ord Form WWC					
			NE		₽	SW 1/4	Section Number	10	mber	Range Number	
Distance and direction frem nearest town or city street address of well if loc					SW 1/4	34	T 24	<u>s</u>	R 1W E/V	<u>v</u>	
603 Austin Lane Sedgwick, Kansas											
	TER WELL			ugwick	, Kansas				·		
RR#, ST. ADRESS, BOX #: 603 Austin Lane  Board of Agriculture, Divivsion of Water Resource											
CITY, STATE, ZIP CODE: Sedgwick, Kansas					Application Number:						
		LOCATION WITH	4 DEPTH O	F COMPL	ETED WELL	80	ft. E	LEVATION:		·	
AN "X'	' IN SECTIO	N BOX:	Depth(s) gro	oundwater	· Encountered	1	ft.	2	ft.	3 ft	t.
1			WELL'S STAT	TIC WAT	ER LEVEL 1	LO F	r. Below land	SURFACE MEASURED	ON mo/day/yr	10-30-2001	
ı	-NW-	NE	Pur	np test dat	ta: Well	i water was	ft.	after	hours pum	ping g	pm
<u>e</u>			Est. Yield	gı	pm: Wel	l water was	ft.	after	hours pum		gpm
Mile M	-	E	Bore Hole Dian		12 <sub>in.</sub>	to 80	ft.	and	in.		ft.
_		7	WELL WATER			5 Public wat		8 Air conditionia	ıg 11 I:	njection well	
1	sw-		1 Domestic		Feedlot	6 Oil field w		9 Dewatering		ther (Specify below)	
			2 Irrigation		Industrial	7 Lawn and	<u> </u>	10 Monitoring we			
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sam  S  Submitted  Water Well Disinfected? Ves X  No X											
5 TY	PE OF CA	ASING USED:	submitteu		337 1.1		***************************************	Water Well Disinfec			
1 Stee		3 RMP (SR)			Wrought iron Asbestos-Cem		8 Concrete tile 9 Other (Specif		G	lued X Clamped Velded	
2 PVC	:	4 ABS			Fiberglass	•	DR-26	y below)		reided Threaded	
	 ising Dian		in. to 23		ft., Dia	in	_	ft., Dia			
	-	ve land surface 1		in.,	weight		. to lbs./ft.	•	in. er gange No	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs. / ft. Wall thickness or gauge No214  TYPE OF SCREEN OR PERFORATION MATERIAL: 7.PVC 10 Asbestos-cement											
1 Stee	el	3 Stainless Steel		5 F	iberglass	:	8 RMP (SR)	11	other (specify	)	
2 Bras	S	4 Galvanized stee	el	6 C	Concrete tile		9 ABS	12	None used (op	en hole)	
SCREEN OR PERFORATION OPENING ARE:					5 Ga	uzed wrapped		8 Saw cut		11 None (open hole	e)
1 Continous slot 3 Mill slot					6 Wire wrapped			9 Drilled hol	es		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATION INTERVALS: from 23 ft. to 80 ft., From ft. to ft.											
			from	_		ft. to	ft., Fr	om	ft. to		ft.
GRAVEL PACK INTERVALS: from 23					ft. to 80		ft., Fı	rom	ft. to		ft.
6 CPO	UT MAT	EDIAL. 1 Neet	from		ft. to ft., From				<u>ft. to</u>		ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cel Grout Intervals: From 3 ft. to 23					ement grout 3 Bentonite			4 Other ber	itonite h		
What is the nearest source of possible contamination:				12	ft. From ft. 1			ft. From 10 Livestock pens			ft.
1 Septic tank 4 Lateral lines				•	7 Pit privy 11 Fuel storage			•		bandon water well	ı
2 Sewer lines 5 Cess pool					8 Sewage la			tilizer storage		Oil well/Gas well Other (specify below)	
3 Water	tight sew		•		9 Feedyard 13 Insecticide storage					ther (speerly below)	,
Direction from well? West How many feet? 30											
FROM	TO		LITHOLOGIC	LOG		FROM	то		GGING INTER	RVALS	$\equiv$
	4	topsoil		***************************************							
	15 25	clay medium fir									
	80	shale	le sand								
-	-	BHATE						· · · · · · · · · · · · · · · · · · ·			
					*****	~					-
										***************************************	
											$\Box$
								ma su			
1											
CONTRACTOR'S or Landowner's Certification: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and											
was completed on (mo/day/year)10-30-2001 and this record is true to the best of my knowledge and belief. Kansas											
Water Well Contractor's License No											
Under the business name of Harp Well & Pump Service, Inc. by (signature)  Jodd S. Harp											
Oriue!	are busi	Haille Ul			······································	/ <del></del>	b	y (signaturė)	Sodd	S. Trarp	