

WATER WELL RECORD		Form WW-5		RSA 82a-1212 ID No.	
1) LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number	
County: <u>Harvey</u>	<u>NW</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$	<u>34</u>	T <u>24</u> (S)	R <u>1</u> (W)	
Distance and direction from nearest town or city, street address of well if located within city:					

Distance and direction from nearest town or city street address of well if located within city? see below

2] WATER WELL OWNER: Al Perez
RR#, St. Address, Box # : 610 Austin
City, State, ZIP Code : Edgemoor KS 67135

Board of Agriculture, Division of Water Resources
Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile

4 DEPTH OF COMPLETED WELL. 15 ft. ELEVATION: ft.

Depth(s) Groundwater Encountered ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 18 ft. below land surface measured on mo/day/yr 4-9-03

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 8 gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter. 11 in. to 15 ft. and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes. No. ☒ If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes ☒ No

5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued. <input checked="" type="checkbox"/> Clamped.
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	4 ABS	Fiberglass		Threaded
Blank casing diameter 5 in. to 25 ft., Dia		in. to 2.40 ft., Dia		in. to 160 psp ft.
Casing height above land surface 12 in., weight		2.40 lbs./ft. Wall thickness or gauge No.		160 psp
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
			9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch-cut	10 Other (specify)	ft.
SCREEN-PERFORATED INTERVALS:		From 25 ft. to 75 ft.	From	ft.
		From	From	ft.
GRAVEL PACK INTERVALS:		From 18 ft. to 75 ft.	From	ft.
		From	From	ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 3 ft. to 180 ft., From ft. to ft., From ft. to ft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
Direction from well? South How many feet? 30

[illegible]

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-10-03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 378 This Water Well Record was completed on (mo/day/yr) 4-10-03 under the business name of Winner Drilling by (signature) [Signature]