

MW60
MW6S

WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATION OF WATER WELL: County: HARVEY		Fraction/ NW 1/4 NE 1/4 SW 1/4	Section Number 34	Township Number T 24 S	Range Number R 1W E/W
Distance and direction from nearest town or city street address of well if located within city? Southwest corner of 7th + Jackson - Sedgewick					
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Andale Fairgrove Coop 304 E 4th Sedgewick KS 67135			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 44 ft. ELEVATION: 67135 Board of Agriculture, Division of Water Resources Application Number: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 23.68 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield 81.5 gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter 2 in. to 27 ft., Dia 2 in. to 39 (39) ft. Casing height above land surface 34 in., weight lbs./ft. Wall thickness or gauge No. Seal 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Mill slot 1022 6 deep 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes 10 10/16 SHALLOW SCREEN-PERFORATED INTERVALS: From 39 ft. to 44 ft. From 27 ft. to 32 ft. GRAVEL PACK INTERVALS: From 37.8 ft. to 46 ft. From 25 ft. to 32 ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 1 ft. to 25 ft. From 32 ft. to 37.8 ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Runoff from 7th + Jackson Direction from well? SW How many feet?					
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 17 Silt, clay - brown to tan w/ sand from 12' 0 1 Cement cap 17 32 Sand/gravel w/ some clay 1 25 3/8 BENTONITE CUTS 32 35 Sand w/ gray clay 25 32 10/20 Sand 35 38 Gray clay 32 37.8 3/8 chips 38 44 Gray clay w/ sand + gravel green shale deep 37.8 46 10/20 Sand					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/12/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 665 This Water Well Record was completed on (mo/day/yr) 8/4/04 under the business name of Pratt Well Environmental by (signature) Thom Egell					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					