## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Harvey

Location listed as:	Location changed to:
Section-Township-Range: 33-24 5 - 1 W	33-245-1W
Fraction ( 1/4 1/4 1/4):	SE SW NE
Other changes: Initial statements:	
Changed to:	
Comments:	·
verification method: Well owner's addres	s, city street map,
verification method: Well owner's address and mapping tool & artial ph	lotos on KGS website.
	initials: DR date: 6/2/2010

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL: Fraction SW Section Number County: 14NE 158 14 14 33	Resources App. No. Township No. T Z 4 S	Range Number	
	TZUS		
Street/Rural Address of Well Lacation: if unknown distance & direction .   Clahal Desitioning		R │ □E ☑W	
	System (GPS) in		
		(in decimal degrees) (in decimal degrees)	
Elevation:			
Datum: WGS 84			
2 WATER WELL OWNER: Gail Schroder  RR#, Street Address, Box #: 510 11000 7 1			
City State 7ID Code			
Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL  ## 1			
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2)	ft. (3	3)ft	
N WELL'S STATIC WATER LEVEL33ft. below land surface measured on mo/day/yr			
Pump test data: Well water wasft. after			
EST. YIELDgpm. Well water wasft. after			
W Bore Hole Diameter 1.3 in. to 1.5 ft., and in. to ft.  WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
Demostic Decodlet Dilfield water wards Demotesting Dotter (Specific Later)			
SW SE   Domestic   Feedlot   Oli field water supply   Dewatering   Other (Specify below)   Industrial   Domestic-lawn & garden   Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes X No			
S If yes, mo/day/yr sample was submitted			
Water well disintected: Z Tes 110			
5 TYPE OF CASING USED: Steel PVC Other	••••		
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter	ameter	in to ft	
Casing height above land surface	kness or gauge No	26	
TYPE OF SCREEN OR PERFORATION MATERIAL:			
Steel Stainless Steel PVC Other (Specify)			
Brass Galvanized Steel None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From 4.0 ft. to 6.0 ft., From ft. to ft.			
From			
GRAVEL PACK INTERVALS: From			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other			
Grout Intervals: From ft. to ft., From ft. to ft.,	From	ft. toft.	
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide:	atamaa 🗆 Oth	m (amagify halaw)	
Septic tank Lateral lines Pit privy Livestock pens Insecticide Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned		er (specify below)	
Watertight sewer lines  Seepage pit  Feedyard Fertilizer storage Oil well/gas	s well	••••••	
	<i>LD</i>		
FROM TO LITHOLOGIC LOG FROM TO LITHO. LO	Cont.) or PLU	GGING INTERVALS	
2 60 med Sand			
a 60 11124 Sans			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗖 constru	icted,  reconstru	icted, or plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)			
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) 4./			
under the business name of	and check to come	answers Sand three corise	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212			