WATER WELL RECORD	Form WW	'C-5	Division of Water	r Resources App. No	o	
1 LOCATION OF WATER WELL:	Fraction		Section Number		Range Number	
County: Harvey	NW 1/4 NW 1/4 SE	1/4 1/4	21	T 24 S	R 1 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here .		Latitude: (in decimal degrees)				
From Sedgwick, KS #2 Well - Middle Well		Longitude: (in decimal degrees)				
2 1/2 miles North		Elevation:				
2 WATER WELL OWNER: Frank Harper			Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 8100 S Ridge Rd			Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Sedgwick, KS 67135		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Seugwio	K, NS 6/135		Est. Accuracy: [] <			
3 LOCATE WELL	**************************************	405			2	
WITH AN "X" IN 4 DEPTH OF C	COMPLETED WELL	.105	ft.			
SECTION BOX: Depth(s) Ground	Depth(s) Groundwater Encountered (1).27					
WELL'S STAT	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr9/30/10					
Pump	Pump test data: Well water was					
EST. YIELD. 350gpm. Well water wasft. after						
W Bore Hole Diameter 30 in. to .105 ft., and						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
1 1 2 3 W 1 2 1 3 D 2 1 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1						
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐						
S If yes, mo/day/yr sample was submitted						
water well disinfected? ✓ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .16						
Casing height above land surface12						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot						
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From 45 ft. to 105 ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From 20 ft. to 105 ft., From ft. to ft.						
From						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
Grout Intervals: From 3						
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well none - open field						
Direction from well		Distance f	rom well			
FROM TO LITHOLOG	IC LOG	FROM			GGING INTERVALS	
0 25 Clay						
25 38 Fine Sand						
38 50 Medium to Coarse San	d					
50 82 Medium Sand						
82 102 Clay						
102 105 Shale						

7 CONTRACTORS OF LANDOWS			<u></u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed as () () () () () () () () () (
under my jurisdiction and was completed on (mo/day/year) .9/29/10						
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed in (mo/day/year) 10/4/10						
under the business name of . Premier Pump and Well Service, Inc. by (signature)						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St. Suite 420, Topeka, Kansas 66612-1367						
1 retephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at 1						
nttp://www.kdneks.gov/waterwell/index.html						
KSA 82a-1212 Check: White Copy, Dink Copy						