WATEI	R WEI	LL REC	CORD	Form W	VWC-5	Division of Wate	r Resources	App. No	, L	
1 LOC	ATION	OF WA	TER WELL:	Fraction NE145E 1450		Section Number	Township		Range N	
Street	t/Rural 4	Address o								□E D W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information: Latitude:				
,						Longitude: (in decimal degrees)				
						Elevation:				
2 WATER WELL OWNER: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\						Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
2 WATER WELL OWNER: John Nold RR#, Street Address, Box #: 301 N Harrison Ave						GPS unit (Make/Model:)				
City,	State, Z	IP Code	500	awick, ks		Digital Map/Ph	ioto, 🔲 Top	ographic	: Map, 🔲	Land Survey
1 100	A DELIC XX/ID	T T		<u> </u>	<u> </u>	Est. Accuracy: <		m,	5-15 m, L	<u>_] >15 m</u>
3 LOCA WITE	AIE WE IAN "X		4 DEPTH OF O	O COMPLETED WEI	_{LL} 98	ft.				
	TON BO									
	N WELL'S STATIC WATER LEVEL. 23ft. below land surface measured on mo/day/yr									
Pump test data: Well water wasft. after hours pumping										
NV	EST. YIELDgpm. Well water wasft. after hours pumpinggpm									gpm
w	w E Bore Hole Diameter									, ₂ 11
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
SW	SW SE									
	Was a chemical/bacteriological sample submitted to Department? Yes No									
	S If yes, mo/day/yr sample was submitted									
· ·	1 mile	,	l	fected? 🔀 Yes 🗌						
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter 5 in. to 96 ft., Diameter in. to ft., Diameter ft.										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Dother (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORAȚION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 38 ft. to 98 ft., From ft. to ft.										
From										
From										
From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)										
	Sewer lin		Cesspool	Sewage lagoon					or (speem)	<i>56.</i> 16)
\triangleright	Watertig	ht sewer l	ines 🔲 Seepage p	it 🗌 Feedyard	Fertilizer st		s well			
		n well	South.			from well	· · · · · · · · · · · · · · · · · · ·			
FROM	TO	<u> </u>	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.)	or PLU	GGING I	NTERVALS
୦୯୬	ය ධ	L_{∞}	Soil							
3,	27	Cia	Sand							
27	98	Blue	Shala					*****		
· ·		Oice								
									.	
7 CONT	TD A CT	OD'S O	DIANDOWNED	'S CEDTIFICATIO	ON: This water	r well was Voorstr	ncted 🗆 🕶	-conetr	icted or !	7 nlugged
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, constructed, or plugged under my jurisdiction and was completed on (mo/day/year) 2/39.1.1. and this record is true to the best of my knowledge and belief.										
Kansas V	y jamsul Water W	ell Conti	ractor's License N	o	Water Well R	ecord was completed	Lon (mo/da	y/year)	9/5	[]]
				Drilling						
INSTRUC	CTIONS:	Use typew	riter or ball point pen	. PLEASE PI G SS FIRM	LY and PRINT cle	arly. Please fill in blank	s and check th	ne correct		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										