

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <b>Harvey</b>	<b>SE 1/4 NW 1/4 SW 1/4</b>	<b>34</b>	<b>T 24 S</b>	<b>R 1 E</b>

Distance and direction from nearest town or city street address of well if located within city?

**401 N. Commercial, Sedwick, Ks. 67135**

2 WATER WELL OWNER:	<b>Coastal</b>
RR#, St. Address, Box # :	
City, State, ZIP Code :	
	<b>OBW-1</b>
	Board of Agriculture, Division of Water Resources
	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <b>25.4</b> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. . . . . ft. 2. . . . . ft. 3. . . . . ft.
	WELL'S STATIC WATER LEVEL <b>19.22</b> ft. below land surface measured on mo/day/yr
	Pump test data: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm
	Est. Yield . . . . . gpm: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm
	Bore Hole Diameter <b>6</b> in. to <b>25.4</b> ft. and . . . . . in. to . . . . . ft.
WELL WATER TO BE USED AS:	
5 Public water supply      8 Air conditioning      11 Injection well 1 Domestic      3 Feedlot      6 Oil field water supply      9 Dewatering      12 Other (Specify below) 2 Irrigation      4 Industrial      7 Lawn and garden only      10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes . . . . . No <b>X</b> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes . . . . . No <b>X</b>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued . . . . . Clamped . . . . .
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded . . . . .
Blank casing diameter <b>2</b> in. to <b>15.4</b> ft. Dia			Threaded <b>X</b>
Casing height above land surface <b>0</b> in., weight <b>.716</b> lbs./ft. Wall thickness or gauge No. <b>.154</b>			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut
1 Continuous slot	3 Mill slot	6 Wire wrapped	11 None (open hole)
2 Louvered shutter	4 Key punched	7 Torch cut	9 Drilled holes
SCREEN-PERFORATED INTERVALS:		10 Other (specify)	
From <b>15.4</b> ft. to <b>25.4</b> ft.			
GRAVEL PACK INTERVALS:			
From <b>12.8</b> ft. to <b>25.4</b> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <b>0</b> ft. to <b>10</b> ft., From <b>10</b> ft. to <b>12.8</b> ft., From . . . . . ft. to . . . . . ft.				
What is the nearest source of possible contamination:		10 Livestock pens	14 Abandoned water well	
1 Septic tank	4 Lateral lines	11 Fuel storage	15 Oil well/Gas well	
2 Sewer lines	5 Cess pool	12 Fertilizer storage	16 Other (specify below)	
3 Watertight sewer lines	6 Seepage pit	13 Insecticide storage	<b>Removed Fuel Storage</b>	
Direction from well?		How many feet?		

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<b>0</b>	<b>.5</b>	<b>Concrete</b>			
<b>.5</b>	<b>6</b>	<b>Dark Brown to Black Silty Clay</b>			
<b>6</b>	<b>10.5</b>	<b>Olive Green To Gray Very Stiff Silty Clay</b>			
<b>10.5</b>	<b>14.5</b>	<b>Greenish Gray Silty Clay to Clayey Silt</b>			
<b>14.5</b>	<b>15</b>	<b>Brown, Med. Grained Loose Sand</b>			
<b>15</b>	<b>25.4</b>	<b>Same as Above only Coarser Sand</b>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>6-16-94</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>554</b> This Water Well Record was completed on (mo/day/yr) <b>8-30-94</b> under the business name of <b>Woofter Pump &amp; Well, Inc.</b> by (signature) <i>[Signature]</i>
--