1 1		VATER WELL:	Fraction			Section Number	r Township	Number	Rar	nge Nur	mber
	Reno		SW 1/4	NW 1/4	SE 1/4	15	T 24	S	R	10	E/W
Distance	e and direct	tion from nearest towr	or city street add	dress of well if loo	cated within	city?			<del></del>		_
		n, Sylvia, Kansas									
	ER WELL		ia Coop								
1	Address, E		North Main				Board of Agr	iculture Divi	sion of W:	ater Re	SULLOS
, .	te, ZIP Cod		ia, Kansas	67581			Application N		01011 01 11	ater re	30ui ces
3 LOCA	TE WELL'S	S LOCATION 4	DEPTH OF COM	PLETED WELL	25	# FLEV			736.00		
—' WITH	AN "X" IN	SECTION BOX:	epth(s) Groundwa	ter Encountered	<b></b> . 1	د ال السالسان	7A11ON		730.08	• • • • •	
T		N De	FILIS STATIONA	ATEDIEVE	1	# h-1 (- 1	. 4		3		
T .			ELL'S STATIC W	AIER LEVEL.		. It. below land s	urtace measured	on mo/day/	yr		
	NW	NE _	Pump tes	st data: Well wa	ter was	!N.A ft. a	ifter	. hours pur	nping		gp
1		Es	t. Yield NA	. gpm: Well wa	ter was	ft. a	ıfter	. hours pur	mping		gp
W ie Wie		E N	re Hole Diameter	8, in. 1	to	25 ft.,	and	in.	. to		1
-		1 - W	ELL WATER TO					ng 11 l	Injection w	veli	
1	SW	X <sub>SE</sub>	1 Domestic	3 Feedlot	6 Oil field v	water supply	9 Dewatering	12 (	Other (Spe	ecify b	elow)
	300		2 Irrigation	4 Industrial	7 Lawn and	d garden only	10 Monitoring we	ell	<i>.</i>		
₩		W	as a chemical/ba	cteriological samp	ple submitte	ed to Departmen	YesNo	; If yes,	mo/day/y	r samp	was
<u></u> .		su	bmitted			Wa	ater Well Disinfec	ted? Yes		No	
5 TYPE	OF BLANK	CASING USED:	5 \	Wrought iron	8 Co	ncrete tile	CASING JO	DINTS: Glued			
1 S	Steel	3 RMP (SR)	6 /	Asbestos-Cement	t 9 Oth	ner (specify belo			ed		
(2)F	VC	4 ABS		Fiberglass			· · · · · · · · ·				
		er ir	ı. to . 215	ft Dia	i	n to	ft Dia	iiiiGa	in to		
Casing he	eight ahove	land surface	4.44 in	it., Dia			II., Did		. III. TO		T
TYPE OF	SCREEN	OR PERFORATION M	ATEDIAL	weight	$\overline{\mathcal{O}}$	IDS./				cn. 40	J
	iteel	3 Stainless ste		-:				bestos-ceme			
				Fiberglass				ner (specify)			
	op proce	4 Galvanized s				ABS		ne used (ope	en hole)		
		PRATION OPENINGS			ed wrappe		8 Saw cut		11 None	(open	hole)
	Continuous:				wrapped		9 Drilled holes				
	ouvered sh		ounched	7 Torch			10 Other (specify	y) . <i></i>			
SCREEN-	PERFORA	TED INTERVALS:	From 21.	5 ft. to		ft., Fro	om	ft. t	to		f
		[	-rom			ft., Fro	om	ft. t	to		f
(	SKAVEL PA		From 2.0.								
			From ,				m	ft. t	to		f
GROU'	T MATERIA	L: 1 Neat cem	ent 2)Ce	ement grout	3 Bei	ntonite 4	Other				
Grout Inte	rvals: Fro	m 4 ft.	to 18.5	. ft., From 1	18.5i	t. to 20.5.	ft , From		. ft. to		fi
What is th	e nearest s	ource of possible cor	ntamination:				tock pens		andoned v		
1 Sep	tic tank	4 Lateral lin	nes	7 Pit privy			storage		well/Gas v		<b></b>
2 Sew	er lines	5 Cess poo	ol	8 Sewage lage	oon		zer storage		ner (specif		(A/)
3 Wat	ertight sewe	er lines 6 Seepage	pit	9 Feedyard			ticide storage	10 0	ici (specii	y DCIO	,
	from well?	west-northwest	•				y feet? 315				
FROM	10		THOLOGIC LOG		FROM	1 10 1		UGGING INT	IERVALS		
0	2	Sand, Clay,							TEI (V) (EO		
2	13	Sand,								<del></del>	
13	20	Sand, Gray			<u> </u>						
20	24.5	<del></del>									
		Sand, Buff									
24.5	25	Clay, Green									
						_					
							•				
	ì										
					<del> </del>						
					<del></del>	IW	/13 , Tag # 00306	524 Fluchm	ount		
					<del> </del>		oject Name: Gree		•		
100:-			-n	<u> </u>			eoCore # 897, KD				
		R LANDOWNER'S C			s (1) const						
		ı (mo/day/year)				and this red	ord is true to the	best of my k			elief.
ansas W	ater Well C	ontractor's License No	o	7 This	s Water We	ell Record was c	ompleted on (mg/	/day/yr) . 🔏	/25/01		
nder the b	ousiness na	me of	GeoCore Se	rvices, Inc.		by (signatu	re)	le the	ll		1
INSTRU	CTIONS: Use	typewriter or ball point pen	PLEASE PRESS E	IRMI V and PRINT cla	arty. Please	fill in blanks, undedir	ne or circle the correct	answers Sen	d top three c	onies to	Kansas
Departm	ent of Health	and Environment, Bureau of	Water, Topeka, Kans	as 66620-0001. Telep	phone: 913-29	6-5545. Send one to	WATER WELL OW	NER and retain	one for your	records.	Kalisas

WATER WELL RECORD Form WWC-5 KSA 82a-1212