XX/A TEN	R WELL RE	CODD	Form W	WC-5	Division of Water Resources App. No.	
			Fraction	VIC-3	Section Number Township No. Range Number	
1	CATION OF W.	AIER WELL:	NE 1/4 SW 1/4 SE	1/ NE 1/.	1 1 1	
	nty: Reno	CXXI.11 I			Global Positioning System (GPS) information:	
					Latitude: (in decimal degrees)	
from nearest town or intersection: If at owner's address, check here .				Lantide: (in decimal degrees) Longitude: (in decimal degrees)		
2 1/4 North, 1 3/4 East of Sylvia						
					Elevation:	
2 WA	TER WELL O'	WNER: Now Co	of Operating		Collection Method:	
2 WATER WELL OWNER: New Gulf Operating RR#, Street Address, Box #: 6100 S. Yale. Ste 2010				GPS unit (Make/Model:)		
	, State, ZIP Code				Digital Map/Photo, Topographic Map, Land Survey	
City	, State, ZIF Cou	· Tulsa, C)k. 74316		Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m	
3 LOCATE WELL						
	H AN "X" IN	4 DEPTH OF	COMPLETED WEI	L 70	ft.	
1	TION BOX:	Denth(s) Ground	lwater Encountered	(1)	ft. (2) ft. (3) ft.	
Size.	N N	WELL'S STATE	C WATER LEVEL	4 ft	ft. (2) ft. (3) ft. ft. lelow land surface measured on mo/day/yr. 5-16-11	
<u> </u>		Pumn	test data: Well wate	er was	ft. after hours pumping gpm	
'	TOGGO XXXXX D. AL/A XXX II					
	V NE	n rr 1 n'	otar 10 in to	70	.ft., andin. toft.	
W	X E	WELL WATER	TO DE HEED AC.	Dublic wat	ater supply Geothermal Injection well	
			TO BE USED AS: [rubile wai	ter supply Dewatering Other (Specify below)	
SV	V SE	☐ Domestic	☐ Feedlot ☑	On neid wat	ter supply Dewatering Other (Speeny below)	
		☐ Irrigation	Industrial	Domestic-lay	wn & garden Monitoring well	
					to Department? 🔲 Yes 🗹 No	
.	S.		day/yr sample was su			
mile Water well disinfected? ✓ Yes ☐ No						
5 TYPE OF CASING USED: Steel V PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter 5 in. to .70 ft., Diameter ft., Diameter ft.						
Casin	g height above l	and surface 18	in Weigh	SDR-26	lbs./ft., Wall thickness or gauge No	
		PERFORATION				
		ainless Steel	✓ PVC		Other (Specify)	
-		alvanized Steel	None used (onen b	nole)	_ Ottor (openity)	
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify)						
SCREEN-PERFORATED INTERVALS: From .70 ft. to50 ft., From ft. to ft.						
			From	ft. to	ft., From ft. to ft.	
	GRAVEL PAC	CK INTERVALS:	From 70	ft. to . 20	ft., From ft. to ft.	
From						
6 GRO	IIT MATERIA	L: Neat ceme	nt Cement grou	t 🗸 Bentor	onite Other	
Grout In	tervals From	n ft to	ft Fron	20	ft. to .0 ft., From ft. toft.	
!		ce of possible conta			10.10	
	Septic tank		es Pit privy	Livestock	pens Insecticide storage Other (specify below)	
	Sewer lines			Fuel storag	ge Abandoned water well	
		lines		Fertilizer s		
Direction from well						
FROM	TO	LITHOLOG		FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0		top soil				
4		clay & fine sand		1		
12	23 Small					
23		to med Sand & g	ravel	 		
20	, o omali	to med dand or y	14401	+		
<u> </u>		, , , , , , , , , , , , , , , , , , , 		 		
				 		
}	ļ					
				+		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under m	y jurisdiction an	d was completed or	n (mo/day/year) .519	: J. J ar	and this record is true to the best of my knowledge and belief.	
					Record was completed on (mo/day/year) .610-11.	
under th	e business name	ofRosencrantz	- Bemis		by (signature). Some Olefy	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
					logy Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
	KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy					