WATER WELL RECORD Form WWC-5				sion of Water		Well ID		
Original Record		ge in Well Use		irces App. No.	Tarreshin Numb			
LOCATION OF WATER WELL: Fraction			Sect	tion Number Township Number Range Number R 1 24 S R 10 E XW				
County.								
The state of the s								
				on Sylvia go EAST 1/2 Then I south Them				
Address:								
City: STAFFO	rd State: K	5 ZIP: 67578	1/2 EA	T And	South 10	well		
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:								
WITH "X" IN	Denth(s) Groundwater Encountered: 1)				Longitude:(decimal degrees)			
SECTION BOX:	2) ft. 3) ft., or 4) Dry Well				Datum: WGS 84 NAD 83 NAD 27			
N	WELL'S STATIC WATER LEVEL: 5.2 ft.				or Latitude/Longitude			
	below land surface, measured on (mo-day-yr))		
NW NE					(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
	Tunip test data.					apme wap		
W	Well water was ft.			Chinic Mapper				
SW SE	/ SE after hours pumping gpm					П С		
	Estimated Yield:gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
S	Bore Hole Diameter: in. to ft. ar			Other				
I mile III. to III.								
7 WELL WATER TO BE USED AS: 1 Domestic: 5. ☐ Public Water Supply: well ID								
	Domestic: 5. ☐ Public Water Supply: well ID				11. Test Hole: well ID			
☐ Household ☐ Lawn & Garden				☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock	8. Monitoring: well ID			12. Geothermal: how many bores?				
2. Irrigation					a) Closed Loop			
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop Surface Discharge Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? X Yes No								
8 TYPE OF CASING USED: Steel PVC Other								
Casing diameter								
Casing height above land surface								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 47 ft. to								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination: Septic Tank								
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Direction from well?		Distance from	FROM	TO L	ITHO LOG(cont) c	or PLUGGING INTERVALS		
10 FROM TO		OGIC LOG	FROM	10 1	11110. LOG (COIII.) (A I DOGGING INTERVILLO		
0 5	Sandy Top	3911						
		and Tone						
55 67	UN-10 3	70.0 1 100.0						
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) ./2-8-1/4 and this record is true to the dest of my knowledge and belief.								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Co	ntractor's License No.		vater well ked	ord was eepi	relea or mo-day-	year)		
under the business nam	U U	(NED and ratain and same for	your records Cultar		ch constructed well along	with one (white) conv to Kansas		
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Subremede of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012						Revised 9/10/2012		

Visit us at http://www.kdheks.gov/waterwell/index.html