1 LOCATIO	N OF WATE	R WELL:	Fraction				Secti	on Number	Towns	ship Numbe	r   F	Range Numb	per
		fford			SE 1/2	SE		14	T		1	12	W
		m nearest towr							<u> </u>		<del>'</del>		
	in - Staffo						<b>-</b>						
2 WATER	WELL OWNE	R: <b>KDHE</b>											
		: 1000 S	W Jacks	on St.,	Ste. 410	)			Board o	of Agriculture	e, Division o	Water Res	ources
		: Topeka								tion Numbe	•		
LOCATE	WELL'S LOC	HTIW NOTA:											
AN "X" IN	SECTION B			OF COM	IPLETED W	ÆLL	30.1	2 ft. ELE\	/ation: _		1856.44 (	100)	
↑ I			Depth(s) G	roundwat	er Encounte	ered 1	25	ft	. 2		ft. 3		ft.
	Ńw <b></b>	- NE	WELL'S ST	TATIC WA	ATER LEVE	L 17.	<b>78</b> . ft. l	below TOC i	measured o	n mo/day/yr		05/29/1	4
	į l	; I		Pump tes	st data: W	eli water wa	as	f	t. after	h	ours pumpin	g	gpm
₩ W		┿┪╘│	Est. Yield		gpm: W	ell water wa	as	f	t. after	h	ours pumpin	g	gpm
ī	i I		Bore Hole [	Diameter	8.25	in. to	30.1	12	ft. and		ours pumpin in. to 11 Injed 12 Othe		ft.
<b> </b>	sw <b>-</b>	- SE	WELL WAT	TER TO E	BE USED AS	5: 5 Publ	ic water su	pply	8 Air c	onditioning	11 Inje	ction well	
↓ l	i 1	x	1 Dor	nestic ;	3 Feed lot	6 Oil fi	eld water s	supply	9 Dew	atering	12 Oth	er (Speciny i	Delow)
· —	S												
			Was a cher	mical/bac	teriological:	sample sub	mitted to D	epartment?	Yes	No X	If yes, mo/da	ay/yr sample	e was
			submitted					Wa	ter Well Dis	infected? \	/es	No X	
5 TYPE OF	BLANK CAS	SING USED:		5	Wrought I	Iron	8 Concre	ete tile	CASIN	G JOINTS:	Glued	Clampe	ed
1 Ste	el	3 RMP (8	SR)			-Cement	9 Other (	specify belo	w)		Welded		
2 PVC	<b>3</b>	4 ABS		7	7 Fiberglas	s					Threaded	Flus	h
-													
Casing heigh	ht above land	surface	0	in	weight .	0.7	703	ibs/ft	Wall thickn	ess or gaug	ie No	SCH. 4	0
TYPE OF SO	CREEN OR P	surface ERFORATION	J MATERIA	'''''	Wolgin		7	PVC	11	n Ashestos	-cement		
1 Ste		3 Stainle	es steel	 5	Fibernias	s	8	RMP (SR)		1 Other (sn	ecify)		İ
	ss		nized steel	6	6 Concrete	tile	9	ABS			ed (open hole		
SCREEN OF	R PERFORAT	TION OPENIN		_		Gauzed			8 Saw c		11 N		hole)
1 Cor	ntinuous slot	3	Mill slot		6	Wire wra	pped		9 Drilled				
	vered shutter				7				10 Other	(specify)			1
SCREEN-PE	ERFORATED	INTERVALS:			12 ft.	to	30.12	ft. F	rom		ft. to		ft.
GR/	AVEL PACK II	NTERVALS:	From	8	ft.	to	30.12	ft. F	From		ft. to ft. to		ft.
					ft.	to		ft. i	From		ft. to		ft.
6 GROUT	MATERIAI ·	1 Neat c					3 Rent	tonite	4 Other		ft		
							Q D0111	torinto ;	4 Outo _		Δ		
		1 e of possible o			.u. rrom .		π. τι	<b>-</b>	π. I stock pens		π. 4 Abandon		
	nearest sourc otic tank	e oi possible o	4 Lateral		7	Dit privar		11 Fuel	•		5 Oil well/		31 <b>t</b>
•													a 1
	tertight sewer		6 Seepag			Feedyard	,		ticide storage		ound (at	, 501011	,
Direction fro	•		_ coopay	,- p	J	. Jouyand		How many					
FROM	TO	CODE	LI	THOLOG	SIC LOG	T	FROM	TO		PLUGG	ING INTER	/ALS	
0	0.2	Fill	l, Gravel										
0.2	1		ty Clay,										
1	5		ndy Clay										
-	40				dark oran	ge to							
<u>5</u> 16	16 30.12		, fine grain					-					
10	30.12	) Ja	ndy Clay	, tan, fi	ne sano	-		<b></b>					
<u>-</u> -		<del>  </del>	<del></del>						Survey	date: 06	/23/14		
	<del>                                     </del>									: N 37.9			
·										de: W 9			
<u> </u>	1	<del>                                     </del>			······································	<del>-</del>		1					
7 CONTRA	ACTOR'S OR	LANDOWNER	R'S CERTIF	ICATION	: This water	r well was k	1) construc	ted, (2) reco	onstructed. c	or (3) plugge	d under my	urisdiction a	ind was
		)				_					nowledge an		
		icense No.			531						n (mo/day/y		26/14
	usiness name		GSI		ering, L			(signature)				·/ <del></del>	
INSTR	UCTIONS: Ple	ease fill in blank	s and circle the	he correct	answers. Se	nd three cor	ies to Kans	as Departme	nt of Health a	and Environm	nent, Bureau	of Water, 100	00 S W
Jackso	n St., Ste. 420,	Topeka, Kansa	s 66612-136	7. Teleph	one: 913-296	8-5545. Sen	d one to W/	ATER WELL	OWNER and	retain one fo	or your record	S	