WATE	R WELL	RECORD	For	m WWC-	5 Div	ision of Wat	er Resou	rces: App. No.		
1 LOCA	ATION OF	WATER WELL:	Fraction	S.C.	NW	Section Nu	ımber	Township 1	Number	Range Number
Distance	and direction	n from nearest town	or city stre	et address o	fwell if:	Global Po	eitionin	o System ide	cimal den	Tees min of I division
located w	ithin city? 4	Stafford NW SE NW 4 T 24 S R 13 v on from nearest town or city street address of well if 424 South Broadway, St. John COWNER: City of St. John Section Number Township Number Range Numbe								
						Longitude:	W 98	3.76079°		
2 WAT	ER WELL	OWNER: City o	f St. John			Elevation:	RIM:	1907.84 TO	OC: 1907	7.18
		Box # : PO Box			i	Datum:	above	e mean sea le	vei	
City, S	State, ZIP C	ode : St. John	n. KS. 675	76	į	Data Collec	ction Me	ethod: lega	l survey	
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 36 ft. LOCATON AS15										
LOCA	ATON					AS15				
	I AN "X" I	N Depth(s) Groun	ndwater En	countered 1			ft. 2		ft. 3	ft. ıy/yr 7/7/09
SECT	ION BOX:	WELL'S STA	TIC WATE	ER LEVEL	16.19	ft. below la	nd surfa	ce measured	on mo/da	y/yr 7/7/09
	N	Pum	test data:	Well water	was	ft.	after	hou	irs pumpi	ing gpm
	1	Est. Yield	gpm:	Well water	was	ft.	after	hou	irs pump	ing gpm
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering (1) Other (Specify below)										
E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Air Sparge										
SW SE Was a chemical/hacteriological sample submitted to Department? Ves No. V.: If yes market was										
Was a chemical/bacteriological sample submitted to Department? Yes No X: If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes No X										
			ommueu				water v	ven Disiniect	ed: Yes	No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
(2) PVC 4 ABS 7 Fiberglass Threaded X										
Blank cas	ing diamete	r 2 in. to	36 .	ft., Dia		in. to	ft.,	Dia	in.	to ft.
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 36 .ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.66 ft., Weight lbs./ft. Wall thickness or gauge No.										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
INCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 5 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 33 ft. to 35 ft. From ft. to ft.										
SCREEN	-PERFORA	TED INTERVALS:	From	33	It. to	35	ft. Fro	om	ft. t	o ft.
			From		ft. to		ft. Fro	om	ft. t	o ft.
GR	AVEL PAG	CK INTERVALS:	rrom	29.9	II. lo	3/	n. Fro	om	TL T	Ο π. Ι
			From		ft. to		ft. Fro	om	ft. t	o ft.
6 GROUT MATERIAL: 1 Neat cement (2) Coated Bentonite (3) Med. Bentonite (4) Other Concrete: 0-1.5 ft.; Soil: 1.5-4 ft.										
Grout Inte	rvals F	om 4 ft. to	17.4 ft	t. From	17.4 ft.	to 29.9	9 ft.	From		ft. to ft.
Grout Intervals From 4 ft. to 17.4 ft. From 17.4 ft. to 29.9 ft. From ft. to ft. What is the nearest source of possible contamination:										
	tic tank	4 Lateral lin			10 Livesto	ck pens	13 Inse	cticide Storag	re.	16 Other (specify
	er lines	5 Cess pool			11) Fuel st			ndoned water	•	below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well										
	from well?		,	•		feet? ~24		work gas work		
			001010							
FROM	TO		LOGIC LO	<u> </u>	FROM	TO		LITHC	LOGIC	LOG
0	1	Gravel with silty clay, I								
1	4	Silty clay with trace gra	ivei and sand	1, gray black to	9	-				
4	8	Sandy silt to silty sand	with donth	and because		+				
		very fine, moist	with depth, r	eu brown,		-				
8	14	Sand, medium to coars	e It brown	trace gravel		-				
	17	moist	C. IC. DI UWILL	ace graven						
14	23.5	Sand. coarse, gravel, gr	av. wet. 3" s	andy clay lens						
		at 15.25 ft.					Flushm	ount waiver	from BC)W
23.5	26	Sand, fine to medium, l	t. brown, tra	ce gravel, wet						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Donstructed, (2) reconstructed, or (3) plugged										
		nd was completed on () 4/1	6/09	and this	s record i	s true to the be	st of mv k	nowledge and belief.
		tractor's License No.		. This	Water Well	Record was	complete	d op (mo/day/	vear) 8	/27/09
under the b	usiness name	of Larsen & Asso	ciates, Inc		by (signat					
INSTRUCT	IONS Please	fill in blanks or circle th	e correct ansv	wers. Send top	three copies t	o Kansas Depa	artment of	Heath and Envi	ronment. B	ureau of Water.
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water. Geology Section. 1000 SW Jackson St., Suite 420. Topeka. Kansas 66612-1367. Telephone 785-296-5522. Send one was WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										
1000103	. 100 01 33.00	cach constructed wel	. + 1311 43 41	III.J.J.WWW.KUI	icha. gov/ Walt	I WCII.				