

20110481

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: Stafford		Fraction ¼ NE ¼ SW ¼ NE ¼	Section Number 31	Township No. T 24 S	Range Number R 13 ☐ E ☒ W																																																																		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here ☐ 3/4 West, 4 3/4 South of St. John			Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation: Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method: ☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m																																																																				
2 WATER WELL OWNER: Gra Ex. LLC RR#, Street Address, Box #: P.O. Box 32 City, State, ZIP Code : Kingman, Ks. 67068																																																																							
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N <table border="1" style="width:100%; text-align: center;"> <tr> <td>W</td> <td>---</td> <td>NW</td> <td>---</td> <td>NE</td> <td>---</td> <td>E</td> </tr> <tr> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>SW</td> <td>---</td> <td>SE</td> <td>---</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> S -----1 mile-----		W	---	NW	---	NE	---	E				X						SW	---	SE	---																4 DEPTH OF COMPLETED WELL 80 ft. Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft. WELL'S STATIC WATER LEVEL 17 ft. below land surface measured on mo/day/yr. 11-18-11..... Pump test data: Well water was ft. after hours pumping gpm EST. YIELD N/A gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 10 in. to 80 ft., and in. to ft. WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☒ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No If yes, mo/day/yr sample was submitted..... Water well disinfected? ☒ Yes ☐ No																																		
W	---	NW	---	NE	---	E																																																																	
			X																																																																				
		SW	---	SE	---																																																																		
5 TYPE OF CASING USED: ☐ Steel ☒ PVC ☐ Other CASING JOINTS: ☒ Glued ☐ Clamped ☐ Welded ☐ Threaded Casing diameter .5 in. to .80 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface .18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☒ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From .80 ft. to .60 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From .80 ft. to .20 ft., From ft. to ft. From ft. to ft., From ft. to ft.																																																																							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☒ Other Hole Plug Grout Intervals: From ft. to ft., From ft. to ft., From .20 ft. to 0 ft. What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☒ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well House Direction from well North Distance from well 1200ft																																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>LITHO. LOG (cont.) or PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>4</td> <td>Sandy top soil</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>7</td> <td>Gray clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td>20</td> <td>Sand & gravel- med, loose</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>36</td> <td>Sandy tan & gray clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>36</td> <td>40</td> <td>Sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>40</td> <td>45</td> <td>Yellow tan clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>45</td> <td>76</td> <td>Sand & gravel- med, loose</td> <td></td> <td></td> <td></td> </tr> <tr> <td>76</td> <td>80</td> <td>Tan clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	0	4	Sandy top soil				4	7	Gray clay				7	20	Sand & gravel- med, loose				20	36	Sandy tan & gray clay				36	40	Sand				40	45	Yellow tan clay				45	76	Sand & gravel- med, loose				76	80	Tan clay															
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS																																																																		
0	4	Sandy top soil																																																																					
4	7	Gray clay																																																																					
7	20	Sand & gravel- med, loose																																																																					
20	36	Sandy tan & gray clay																																																																					
36	40	Sand																																																																					
40	45	Yellow tan clay																																																																					
45	76	Sand & gravel- med, loose																																																																					
76	80	Tan clay																																																																					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) 11-18-11 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-30-11 under the business name of Rosencrantz, Bemis by (signature) <i>Tom Bemis</i>																																																																							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html .																																																																							

KSA 82a-1212

Original Returned to Sender

Check: ☒ White Copy, ☐ Blue Copy, ☐ Pink Copy

Registration Date: 1-12-12