WATEI	R WEI	L RECORD	Form WWC-5	Division of Water Resources App. No.		
1 LOC	ATION	OF WATER WELL:	Fraction	Section Number Township No. Range Number		
	ty: Staf		1/4 SE 1/4 NE 1/4 SE 1/4	18 T 24 S R 14 □E ☑W		
Street	/Rural A	ddress of Well Location;	ion: If at owner's address, check here . Latitude:			
				Latitude: (in decimal degrees)		
110/	of Dillwy	ın KS		Longitude: (in decimal degrees)		
144	OI DIIIW)	/II, NO		Elevation:		
				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
			osburgh/	Collection Method:		
			. Highwav 50	GPS unit (Make/Model:)		
City,	State, Z	IP Code : Macksv	ille, KS 67557	Digital Map/Photo, Topographic Map, Land Survey		
		<u> </u>		Est. Accuracy:		
3 LOCA		1	COMPLETED WELL 95	ft		
	I AN "X' ION BO	Y: Douth(s) Group	dyster Enguntered (1) 45	θ (2) θ (3)		
SECI	N N	WEIT'S STAT	IC WATER I EVEL 45	helow land surface measured on mo/day/yr 11/6/14		
		WELL SSIAI.	test dota: Well water was	SE 1/4 NE 1/4 SE 1/4 S		
'		POT MEI D 70	Tiest uata. Well water was	ft after hours numning gnm		
	v N	D				
W						
		1 1 -4				
SW	/ s	E- A Dolliestic	☐ Industrial ☐ Domestic-lay	we be garden Monitoring well Stock		
		Was a shamical	/hacterial gical comple submitted to	Dengetment? Ves No		
	1 mile					
Water Well disinfected: Let 145						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing height above land surface. 12						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
	OF CASING USED: Steel PVC Other G JOINTS: Glued Clamped Welded Threaded g diameter 5					
Louvered shutter						
SCREE	N-PEKF	ORATED INTERVALS:	e land surface 12 in., Weight 2.8 lbs./ft., Wall thickness or gauge NoSch. 40 lbs./ft., Wall thickness or gauge NoSch., Wall thickness or gauge NoS			
CDAVEL DACK INTERVALS: From 23 ft to 95 ft From ft to ft						
	GKA V	EL PACK INTERVALS:	SS of Well Location; if unknown, distance & direction or intersection: If at owner's address, check here SS of Well Location; if unknown, distance & direction or intersection: If at owner's address, check here SS of Well Location; if unknown, distance & direction or intersection: If at owner's address, check here SS of Well Location; if unknown, distance & direction or intersection: If at owner's address, check here SS of Well Location; if unknown, distance & direction or intersection: If at owner's address, check here SS of Well Location; in decimal degrees Latitude: Interest of Well Location or intersection: Well Well Well Well Well Well Well We			
CODOLIT MATERIAL. Distance D.C. T. D. T. D						
6 GROUT MATERIAL: Neat cement Cement grout W Bentonite Uther						
Grout Intervals: From .0						
	GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other Grout Intervals: From .0					
	What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well					
	Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
			- -	-		
FROM	ТО					
0	2	top soil				
2	68	clav				
68	70					
70	95					
70	90					
		ciay bollom				
<u> </u>						
	<u> </u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗸 constructed, 🗆 reconstructed, or 🗆 plugged						
under my jurisdiction and was completed on (mo/day/year) .11/06/14 and this record is true to the best of my knowledge and belief.						
under the business name of Kelly's Water Well Service, Inc. by (signature) Kathum Lathum						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to						
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						

http://www.kdheks.gov/waterwell/index.html