USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department af Health and Environment-Divisian of Environment (Water well Contractors)

2. Distance and direction from heavest town or city: 27 South Street address of well location if in Eity: Dellugin Sketch map: 3. Owner of well: Sterling Druller R.R. or street: Sterling Name City, state, zip code: 6. Bore hole dia. 8 in. Completic	
R.R. a street: City, state, zip code: 6. Bore hole dia. in. Completic Well depth 60ft. 7Cable tool **Zkotary** Drive** — NW NE SE Hollow rodJetted Bored 8. Use:DomesticPublic supply Irrigation Air condition Lawn Coil field wate Surface RMP PVC Weight. 5. Type and color of material	mber 4 W E/W
City, state, zip code: City, state, zip code: City	ug Co
Well depth 6 ft. 6 7Cable toolRotaryDriveHollow rodJettedBored	4
7Cable toolRotaryDriveHollow rodJettedBoredBoredSLawnA Cil field wateSurfaceRMP PVCWeightDioin. toGr. depth Wall ThiDioin. toGr. depth Wall ThiDioin. toGr. depth Wall ThiDioin. toGr. depthGraveS	on date
Irrigation Air condition Lawn Oil field water Surface RMP PVC Weight Surface RMP PVC Weight Threaded welded Surface RMP PVC Weight Threaded welded Surface RMP PVC Weight Threaded welded Surface Too in. to Off. depth Wall This Dio in. to Off. depth gage No 10. Screen: Manufacturer's name Type Avril Dia Type Typ	
9. Casing: Moreston Lie. Height Threaded Welded Surface RMP PVC Weight Dio in. to Off. depth Wall Thi Dia. in. to ft. depth gage No 10. Screen: Manufacturer's name Type and color of material Clay 5 Imply Play 690 In the option of the depth gage No In the option of the option of the depth gage No In the option of	ing Stock
RMP PVC Weight Type and color of material From To Clay C	bowe or below
Type and color of material From To Diain. toft. depth gage No 10. Screen: Manufacturer's name Type	257.3bs./ft.
Sandy Play 5 30 Sandy Play 6 30 Set between \$\frac{40}{\text{ft. and}} \text{ft. and} \text{Gravel pack? \$\frac{40}{\text{static water level:}}}	
Sandy Play 630 Sof gauze & Length Set between #0 ft. and Gravel pack? #2 size range of mater	le
Gravel pack? 42 Size range of mater 40 (1) 11. Static water level:	20 60 ft.
	rial 4 - 4
Tr. below Idno surface Date	6- 2-7)
12. Pumping level below land surfaces: ft. after hrs. pumping	
ft. after hrs. pumping Estimated maximum yield	· 1
13. Water sample submitted: Yes No Date	mo./day/yr.
14. Well head completion:	nes above grade
15. Well grouted? 15. Well grouted? With: Neat cereant & Bentonit	
Depth: From ft. to ft.	
16. Nearest source of possible contamina ft	tion: ype _ Yes No
17. Pump: X Not	
Model number HP Length of drop pipe ft. capac	Volts
Type: Submersible	Turbine
(Use a second sheet if needed) Centrifugal	Reciprocating Other
Elevation: 19. Remarks: 20. Water well contractor's certification This well was drilled under my jurisdiction	
is true to the best of my knowledge and b	elief.
Hill Slope Busing hams Address Address	jsegrento.
	602-27