

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: <u>Stafford</u>	Fraction <u>NW 1/4 NW 1/4 NW 1/4</u>	Section Number <u>22</u>	Township Number T <u>24</u> S	Range Number R <u>15</u> EW
--	---	-----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?
132 East Broadway, Macksville, KS.

2 WATER WELL OWNER: Kinzie Corp.
 RR#, St. Address, Box #: P.O. Box 464
 City, State, ZIP Code: Macksville, Ks. 67557
 Board of Agriculture, Division of Water Resources
 Application Number: _____

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N

	X	

S

4 DEPTH OF COMPLETED WELL: 40' ft. ELEVATION: _____

Depth(s) Groundwater Encountered: 1. 17' ft. 2. _____ ft. 3. _____ ft.

WELL'S STATIC WATER LEVEL: 17.07 ft. below land surface measured on mo/day/yr 6-19-98

Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm

Est. Yield _____ gpm. Well water was _____ ft. after _____ hours pumping _____ gpm

Bore Hole Diameter: 8 1/2" in. to 40' ft., and _____ in. to _____ ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes _____ No X; If yes, mo/day/yr sample was submitted _____

Water Well Disinfected? Yes _____ No (X)

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____
<u>2 PVC</u>	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded _____
		7 Fiberglass		Threaded _____

Blank casing diameter: 2.375 in. to 38' ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.

Casing height above land surface: Flush Mt. in., weight _____ lbs./ft. Wall thickness or gauge No. SCR 40

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify) _____
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	<u>3 Mill slot</u>	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify) _____	

SCREEN-PERFORATED INTERVALS: From 40' ft. to 38' ft., From _____ ft. to _____ ft.

GRAVEL PACK INTERVALS: From 40' ft. to 35' ft., From _____ ft. to _____ ft.

6 GROUT MATERIAL:

1 Neat cement	<u>2</u> Cement grout	<u>3</u> Bentonite	4 Other _____
---------------	-----------------------	--------------------	---------------

Grout Intervals: From 35' ft. to 10' ft., From 10' ft. to 0' ft., From _____ ft. to _____ ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	<u>11</u> Fuel storage	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below)

Direction from well? South
How many feet? 8'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	.50	Concrete over sand base.			
.50	2	Dk brn-gray brn clay, moist, firm, no odor.			
2	8.5	Med brn clay to silty clay, moist, firm, no odor.			
8.5	11	Pale green clay w/caliche, moist, slight odor, firm.			
11	19	Brn gray clayey sand, firm, moist to damp, fine-med.			
19	40	Brn silty sand, wet, mod. odor, fine grained, well rounded & sorted.			
Flush mt. OK'd by Don Taylor					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-16-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539. This Water Well Record was completed on (mo/day/yr) 6-18-98 under the business name of JB Environmental Drilling by (signature) James Bueki