WATER WELL REC				sion of Water urces App. No.		Well ID Stock
Original Record 1 LOCATION OF WA		in Well Use Fraction		ion Number	Township Numb	er Range Number
County: Stafford 2 WELL OWNER: Las		SE ¼ NE ¼ SE ¼ First: Gary		31	T 24 S	R 15 E W W
Business: Address: 651 20th Ave		-	direction from ne	arest town or inte		er's address, check here:
Address: City: Macksville	State: KS	ZIP: 67557				
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMP	LETED WELL:	79 ft.	5 Latitude:	37.915453	(decimal degrees)
SECTION BOX:	Depth(s) Groundwater E 2) ft. 3)	incountered: 1) ft., or 4)	ft.] Dry Well		e: -99.003833	(decimal degrees) 1 NAD 83 NAD 27
N	WELL'S STATIC WATI	ER LEVEL: $24.\overline{1}$	0 ft.	Source for	Latitude/Longitude :	
NWNE	below land surface, r above land surface, r	Land		(unit make/model: (WAAS enabled? Yes □ No) I Survey □ Topographic Map ne Mapper:		
W	Pump test data: Well wa after hours p					
SWSE	Well w					
	after hours p Estimated Yield:	pumping g gpm	pm	6 Elevation		☐ Ground Level ☐ TOC
S mile	Bore Hole Diameter:	9 in. to 80 in. to	ft. and ft.] Land Survey [] (] Other	GPS Topographic Map
7 WELL WATER TO BE USED AS:						
1. Domestic: Household		er Supply: well ID g: how many wells?		10. ☐ Oil Fi 11. Test Hol	eld Water Supply: le e: well ID	ase
☐ Lawn & Garden ☐ Livestock	☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?					
2. Trrigation		a) Closed Loop				
3. ☐ Feedlot 4. ☐ Industrial	☐ Air Sparge☐ Recovery	☐ Soil Vapor E	Extraction	b) Open 13. Other		scharge Inj. of Water
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☒ No If yes, date sample was submitted:						
Water well disinfected? ☐ Yes ☒ No 8 TYPE OF CASING USED: ☐ Steel ☒ PVC CASING JOINTS: ☒ Glued ☐ Clamped ☐ Welded ☐ Threaded ☐ Other						
Casing diameter 5 in. to 67 ft., Diameter in. to ft., Diameter in. to ft.						
Casing height above land surface 24 in. Weight 2.36 lbs./ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☑ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous Slot ☑ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) ☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)						
SCREEN-PERFORATED INT	TERVALS: From 67	ft. to 77 ft., 1	From	ft. to	ft., From	ft. to ft.
GRAVEL PACK INT 9 GROUT MATERIAL:		ft. to 80 ft., 1 Cement grout Ber		ft. to	ft., From	ft. to ft.
Grout Intervals: From 0 ft. to 21 ft., From ft. to ft., From ft. to ft.						
Nearest source of possible contamination: Septic Tank						
Sewer Lines Watertight Sewer Lines	Cess Pool Seepage Pit	Sewage Lago		uel Storage		ned Water Well
Other (Specify) None Known						
Direction from well? 10 FROM TO	LITHOLOGI	Distance from well'	FROM	TO LIT	THO LOG (cont.) or	PLUGGING INTERVALS
0 3 To	ppsoil	LC LOG	1 KOWI	TO LI	THO. LOG (coll.) of	FEOGGING INTERVALS
	ay, brown, sandy and, coarse to fine, with fine to	coarse gravel				
00 00	na, coarse to fine, with time to	coarse graver				
			Notes:			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛮 constructed, 🗆 reconstructed, or 🗆 plugged						
under my jurisdiction and was completed on (mo-day-year) 03-30-20 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo-day-year) 03-31-20						
under the business name		pment, Inc.	Sign	nature	in	ater GWTS Section
Mail 1 white copy along with a fee of \$5.00 for <u>each</u> constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.						
Visit us at http://www.kdheks.	izov/waterwell/index.html		KSA 82a-1212			Revised 7/10/2015