

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Edwards		NE ¼ NE ¼ SE ¼	20	T 24 S	R 16 EW

Distance and direction from nearest town or city street address of well if located within city?
411 Larned - Belpre, KS

2 WATER WELL OWNER: Rosie Lee Schmitt	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Application Number:
City, State, ZIP Code : Greensburg, Kansas	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL . . . 38 . . . ft. ELEVATION: . . . 999 . . .	
	Depth(s) Groundwater Encountered 1. . . 31 . . . ft. 2. . . . ft. 3. . . . ft.	
	WELL'S STATIC WATER LEVEL . . . 999 . . . ft. below land surface measured on mo/day/yr . . .	
	Pump test data: Well water was . . . NA . . . ft. after hours pumping gpm	
	Est. Yield . . . NA . . . gpm; Well water was ft. after hours pumping gpm	

5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	4 ABS	7 Fiberglass		Threaded . <input checked="" type="checkbox"/>

Blank casing diameter . . . **2** . . . in. to . . . **23** . . . ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface **0** . . . in., weight lbs./ft. Wall thickness or gauge No. . . . **Sch. 40**

TYPE OF SCREEN OR PERFORATION MATERIAL

1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From **23** . . . ft. to **38** . . . ft., From ft. to ft.

From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From **22** . . . ft. to **38** . . . ft., From ft. to ft.

From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement **2** Cement grout **3** Bentonite 4 Other

Grout Intervals: From **0** . . . ft. to **20** . . . ft., From **20** . . . ft. to **22** . . . ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	Former UST Basin

Direction from well? **NW** How many feet? **25**

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	0.34	Asphalt,			
0.34	7	Clay, Dark Brown			
7	11.75	Clay, Dark Brown			
11.75	12	Sand, Dark Brown			
12	17	Sand, Brown to Gray			
17	22	Sand, Light Brown			
22	27	Sand, Light Brown			
27	38	Sand, Light Brown			

	MW3 , Flushmount
	Project Name: Larsen-Belpre
	GeoCore # 388 , #

7 CONTRACTORS OR LANDOWNERS CERTIFICATION: This water well was **1** constructed, **2** reconstructed, or **3** plugged under my jurisdiction and was completed on (mo/day/year) **8/1/96** and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. **527** This Water Well Record was completed on (mo/day/yr) **8/5/96**

under the business name of **GeoCore Services, Inc.** by (signature) *John A. Bell*