

1 LOCATION OF WATER WELL: Fraction	Section Number	Township Number	Range Number
County: <u>Edwards</u> SE ¼ SE ¼ SE ¼	18	T 24 S	R 16 <u>EW</u>

Distance and direction from nearest town or city street address of well if located within city?

½ west 1/8 north Belpre, Ks.

2 WATER WELL OWNER: Joe Curtis
 RR#, St. Address, Box #: RR1
 City, State, ZIP Code: Belpre, Ks. 67519
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL . . . 65 ft. ELEVATION:
--	---

1 Mile

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL . . . 32 ft. below land surface measured on mo/day/yr . . . 6-19-00

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield . . . NA gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter. . . . 8 in. to 65 ft., and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well . . . stock

Was a chemical/bacteriological sample submitted to Department? Yes. No. X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes HTH No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	CASING JOINTS: Glued. . . <u>X</u> . . . Clamped.
2 PVC	4 ABS	7 Fiberglass		Welded
				Threaded.

Blank casing diameter 4½ in. to 50 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface. . . . 18 in., weight . . . SDR 26 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	ft.

SCREEN-PERFORATED INTERVALS: From 50 ft. to 65 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 65 ft. to 20 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other . . . hole plug

Grout Intervals: From . . . 20 ft. to . . . 0 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	house

Direction from well? east How many feet? 120

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Sandy top soil			
3	8	Brown sandy clay			
8	13	Gray clay			
13	20	Sandy brown clay & fine sand			
20	32	Fine sand			
32	43	Brown & white clay			
43	65	Sand & gravel medium loose clean			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-19-00 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. . . . 134 This Water Well Record was completed on (mo/day/yr) 6-20-00 under the business name of Rosencrantz-Bemis by (signature) Judith Hedden