

1	LOCATION OF WATER WELL: County: Edwards	Fraction NE 1/4 NE 1/4 SE 1/4	Section Number 24	Township Number T 24 S	Range Number R 16w E/W
---	---	---	-----------------------------	----------------------------------	----------------------------------

Distance and direction from nearest town or city street address of well if located within city?
1/4S, 3E Belpre, Ks.

2	WATER WELL OWNER: Wayne Miller Sand Point LLC	Wilchorse #2
RR#, St. Address, Box # : RR 1 3801 NW 63rd Bldg 4 #103		Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Belpre, KS 67519 Oklahoma City, OK 73116		Application Number:

3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4	DEPTH OF COMPLETED WELL 81 ft. ELEVATION: unknown ft.
		Depth(s) Groundwater Encountered 1 35 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 35 ft. below land surface measured on mo/day/yr 10/17/03 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic water 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No			

5	TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: <u>Glued</u> Clamped
1 Steel 3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC 4 ABS		7 Fiberglass		Threaded
Blank casing diameter 5 in. to 61 ft., Dia in. to ft., Dia in. to ft.				
Casing height above land surface 4 ft. below in., weight lbs./ft. Wall thickness or gauge No.				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1 Steel 3 Stainless Steel 5 Fiberglass		7 PVC	10 Asbestos-Cement	
2 Brass 4 Galvanized Steel 6 Concrete tile		8 RMP (SR)	11 Other (Specify)	
		9 ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:				
1 Continuous slot 3 Mill slot		5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter 4 Key punched		6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	ft.
SCREEN-PERFORATED INTERVALS: From 61 ft. to 81 ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.				

6	GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3 Bentonite</u>	4 Other
Grout Intervals: From 4 ft. to 35 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines		7 Pit privy	10 Livestock pens	14 Abandoned water well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard	12 Fertilizer storage	16 Other (specify below)	
			13 Insecticide storage		
Direction from well? How many feet?					

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			81	35	sand and gravel
			35	4	bentonite
			4	0	top soil

7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) <u>plugged</u> under my jurisdiction and was completed on (mo/day/year) 10/17/03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 186 This Water Well Record was completed on (mo/day/yr) 10/20/03 under the business name of Kelly's Water Well Service, Inc. by (signature) <i>Nathan L Wood</i>
---	---

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.