WATER	WELL	RECORD	Form '	WWC-5	Div	sion of Wa	ater Reso	ources; App. No.			
LOCATION OF WATER WELL:			Fraction	NIE	O.E.	Section N	umber	Township Number	r Range Numb	er	
County: Edwards NE 1/2 NE 1/2 SE 1/2 20 T 24 S R 1/6 W Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)											
located within city? Latitude: N 37° 56' 52.2"											
2 WATE	411 Larned, Belpre, KS 2 WATER WELL OWNER: Rosie Lee Schmitt Longitude: W 099° 05' 44.5" Elevation: 2083.60										
RR# St Address Box # · 516 W Kansas Box 12										-	
City, State, ZIP Code : Greensburg, KS 67054 Data Collection Method: legal survey											
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 45 ft.											
LOCA		N Donath (a) Casaa	. d	4		MW7R	a 2	٥	2		
1	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. SECTION BOX: WELL'S STATIC WATER LEVEL 35.73 ft. below land surface measured on mo/day/yr 11/14/06										
Pump test data: Well water was ft. after hours pumping gpm											
Est. Yield gpm: Well water was ft. after hours pumping gpm											
NW—NE— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)											
X 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10)Monitoring well											
SW — SE — Was a shamisel/leasterial agricultural to Department? Was a shamisel/leasterial agricultural to Department? Was a shamisel/leasterial agricultural to Department?											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes No X											
5 TYPE OF CASING USED: 5 Wrought Iron & Concrete tile CASING IOINTS: Glued Clemned											
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded											
2 PVC 4 ABS 7 Fiberglass Threaded X											
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 25 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.35 ft., Weight lbs./ft. Wall thickness or gauge No.											
Casing height below land surface 0.35 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)											
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
INCREEN OR PERFORATION OPENINGS ARE:											
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)											
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 25 ft. to 45 ft. From ft. to ft.											
From It. to It. From It. to It.											
GRAVEL PACK INTERVALS: From 23 ft. to 45 ft. From ft. to ft.											
From ft. to ft. From ft. to ft.											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Sentonite 4 Other cement, 0-3' Grout Intervals From 3 ft. to 23 ft. From ft. to ft. From ft. to ft.											
Grout Inte	rvals Fi	3 ft. to	23 ft.	From	ft.	to	ft.	From	ft. to	ft.	
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (speci 2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)										city	
		er lines 6 Seepage						well/ gas well	,		
Direction	from well?				How many	feet?					
FROM	TO	LITHO	LOGIC LOG		FROM	TO		PLUGGING IN	ITERVALS		
0	4'	Soil									
4'	6'	Clay, tan, dry, no Clay, tan/light gre					-				
6'	13'	plasticity	y, moist, no t	Juoi, iow							
		Sand, tan, dry, no	odor, very fi	ne							
13'	17'	grained Flushmount waiver by D. Taylor									
17'	23'	Sandy clay, reddish brown, moist, no odor, low plasticity									
		ilty sand, red/tan, moist, no odor, low									
23'	29.5'	plasticity, very fin Clay, brown, mois		edium							
29.5'	45'	plasticity	,								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged											
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was complete op (mo/day/year) 12/12/00											
Kansas Water Well Contractor's License No. 757 This Water Well Record was complete op (no. 12/12.100 by (signature)											
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water,											
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											
Jour records		, 101 cach constitueted we	, isit us at iltl	2 11 11 11.KUI							