.1				ELL RECORD	Form WWC-5						
	ON OF WAT		Fraction	NG ::-		tion Number			Range Number		
	Edwards			NC 1/4 NE	1/4	14	т 24	S	R 16		
			or city street addres		-						
			ast and 1 mi		r Belpre						
	R WELL OW		Frank L. H								
	Address, Box	(#:		2501 N. 80th St.			Board of Agriculture, Division of Water Resources				
	, ZIP Code	<del></del>		y, KS 661			Application	Number:	3/,415		
J LOCATI	E WELL'S LO IN SECTION	U U( ) Y .	DEPTH OF COMP								
T T	1	· · · · · · · · · · · · · · · · · · ·	VELL'S STATIC WAT	TER LEVEL	17 ft b	elow land sur	face measured or	mo/dav/vr	7-22-98		
I	- 1	1 1 1	Pump test	data: Well wate	rwas not	ch'd fia	fter	hours ou	mping gpm		
-	NW	NE    <sub>E</sub>							mping gpm		
<u>'</u>			Rore Hole Diameter	24 in to	110	# #	and	. Hours pu in	. to		
¥ w ⊢	<del>-</del>		VELL WATER TO BE		5 Public water		8 Air conditioning				
-	i	'	1 Domestic						Other (Specify below)		
-	- SW	SE	2 Irrigation			-	_		(Specify below)		
1 1	! !				-	-			mo/day/yr sample was sub		
į L			vas a chemical/bacte nitted	nological sample s	submitted to Di	-		•	· · · · · · · · · · · · · · · · · · ·		
E TYPE	DE DI ANIK C	ASING USED:		Vrought iron			ter Well Disinfecte		***************************************		
				- 3					dX Clamped		
1 Ste		3 RMP (SR)		sbestos-Cement		(specify below	•		ed		
2 PV	<u>'C</u>	4 ABS 16in	69	iberglass				Threa	nded		
Blank casi	ng diameter	<del>.</del>	1. to	. ft., Dia	in. to		ft., Dia		in. to ft.		
			<del>† 2</del>	weight	?.•	Ibs./	ft. Wall thickness	or gauge N	o •		
		R PERFORATION			7 <u>PV</u>	<del></del>		estos-ceme			
1 Ste		3 Stainless s		iberglass		P (SR)					
2 Bra		4 Galvanized		Concrete tile	9 AB	S	12 Nor	ne used (op			
SCREEN (	OR PERFOR	RATION OPENINGS	S ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (open hole)		
	ntinuous slo			6 Wire	wrapped		9 Drilled holes				
2 Lo	uvered shutt	er 4 Key	punched	7 Torch	cut		10 Other (specify	/)			
SCREEN-	PERFORATE	D INTERVALS:							o ,		
			From	ft. to	110	ft., Froi	n	ft. to	o		
C	GRAVEL PAG	CK INTERVALS:	From	.O ft. to		ft., Fro			o		
			From	ft. to							
6 GROUT	MATERIAL			ment grout							
Grout Inter				ft., From	ft.	to	ft., From		ft. to		
What is th	e nearest so	urce of possible co	ontamination:			10 Lives	tock pens	14 AI	bandoned water well		
1 Se	ptic tank	4 Lateral	nes 7 Pit privy			11 Fuel storage		15 Oil well/Gas well			
2 Se	wer lines	5 Cess p	l 8 Sewage lagoo		on	12 Fertilizer storage					
3 Wa	atertight sew	er lines 6 Seepag	ge pit	9 Feedyard		13 Insec	ticide storage	NO	ne known		
Direction f	rom well?					How mai	ny feet?				
FROM	то		LITHOLOGIC LOG		FROM	то	Pl	UGGING II	NTERVALS		
0	2	Topsoil									
2	12	Clay, brow	m								
12	29	Clay, brow							*		
29	50		ravel, fine,								
50	90	Sand and g	gravel, fine,	medium,				** ******* * ******* *********			
		some coars	se								
90	98	Sand and g	ravel, fine,	medium,							
		coarse, 1	ose, thin cl	ay streaks.							
		at 94' and	1 97'								
98	108	Sand and g	gravel, fine,	medium							
108	110	Clay, brow									
		D   41/20/2017	OFDT:5:0/=:0::		- (4)	· · · · · · · · · · · · · · · · · · ·					
									er my jurisdiction and was		
									owledge and belief. Kansas		
			185					11/1	0-98		
under the											
			cke Well & Ed			by (signat	, <del>- 12-12-12-12-12-12-12-12-12-12-12-12-12-1</del>	W SH	copies to Kansas Department		