	タSEY ラン ATER WELL:	Fraction	ATER WELL RECOR	D Form WM	C-5 KSA Section Num		<i>UbUN</i> Number		ange Num	
ounty: 1			1/4 HW 1/4	561 1/	Section Num	.		R	17	EA
			et address of well if le							-62
	PRE 21/2									
WATER WELL O	MAISO ATE	PINA	DAILLINGE	<i>7.</i>	BE	SSIE MA 95	W BIT	DD E	124	
VALED VVELL O	WINEH. 37 C.	120			DE.		of Agriculture,			Dacouroa
R#, St. Address, B			1 17574				-	DIVISION	UI WALEI I	nesoui ce
ity, State, ZIP Code	3 : J/ = /	UMFIR	5 67579		•	Applica	tion Number:			
AN "X" IN SECTION	LOCATION WITE ON BOX:	14 DEPTH O	F COMPLETED WEL	.L	ft. EL	EVATION:				
	N	Debui(s) Gio	undwater Encountere	0 1		. IL. Z		3		
1 !			TIC WATER LEVEL	_						•
NW	NE		ump test data: Well							
		1	gpm: Well				-			
w	┸	• 1	ameter 7		<i>5</i>	.ft., and	ir	ո. to		ft.
_ " !	! `	WELL WATE	R TO BE USED AS:	5 Public v	water supply	8 Air condition	ning 11	Injection	well	
sw		1 Domes	stic 3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (S	pecify be	low)
- 3,, - 1	1 1 1	2 Irrigation	on 4 Industria	7 Lawn a	nd garden on	ly 10 Observation	well			
i		Was a chemi-	cal/bacteriological san	nple submitted t	o Departmen	t? YesNo	; If yes	s, mo/day/	yr sample	was sub
	5	mitted				Water Well Disinfe	ected? Yes		No	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Cc	ncrete tile	CASING	JOINTS: Glue	d	. Clamped	1
1 Steel	3 RMP (S	SR)	6 Asbestos-Cen	nent 9 Ot	her (specify t	pelow)	Wek	ded		
2 PVC	4 ABS		7 Fiberglass				Thre	aded		
ank casing diamete	er	in. to	ft., Dia	in	. to	ft., Dia		in. to	. .	ft.
sing height above	land surface. 3.	1. B.F. +0.4	in., weight			lbs./ft. Wall thickne	ss or gauge N	lo		<i></i>
PE OF SCREEN			•		PVC		Asbestos-cem			
1 Steel	3 Stainles	ss steel	5 Fiberglass	8	RMP (SR)	11	Other (specify)		
2 Brass	4 Galvani	ized steel	6 Concrete tile		ABS	11 Other (specify)				
REEN OR PERFO	DRATION OPENII	NGS ARE:	5 (Gauzed wrappe	d	8 Saw cut			ne (open l	hole)
1 Continuous s		Mill slot		Vire wrapped		9 Drilled hole			ю (орол.	,
2 Louvered shu		Key punched		Forch cut		10 Other (spe				
REEN-PERFORA		• •			ft	· ·				
			ft.							
GRAVEL P	ACK INTERVALS		ft.							
CIBIVEE	NOR MATERIALE	From		to	_	_	4.			ft.
GROUT MATERIA	Al: 1 Neat	cement	2 Cement grout		entonite					
			<i>3</i> ft., From .		ft to	ft From		ft to		
hat is the nearest	source of possible	contamination	:		10.1	ivestock pens	14 A	handone	d water w	الم
1 Septic tank	•	eral lines	7 Pit priv	v		uel storage		Dil well/Ga		-Cii
2 Sewer lines 5 Cess pool		8 Sewage lagoon			ertilizer storage			cify belov	٧١	
	wer lines 6 See	•	9 Feedya	•		secticide storage	.0 0	zuioi (ape	ony belov	•,
rection from well?		page pa	o i oodya			many feet?				
ROM TO		LITHOLOG	IC LOG	FROM		Intally leet?	LITHOLOG	SIC LOG	 ,	
65 27	RUAD GR		CHURNE	5271	. 11					
27 13	CLAY	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CITERICIA	igue						
13 3	CLAY BENSON	LITE		11/2	ALM					
	TORSO	1114		11.2						*
クレ //	1									
7 0										
7 0							A			-
7 0										
7 0										
7 0										
2 0			ad Radon agreement and a second agreement and a second agreement and a second agreement and a second agreement							
7 0							-			
7 0			•				a Pada - 1			
7 0										
7 0										
7 0										
CONTRACTOR'S		R'S CERTIFIC	ATION: This water w							
CONTRACTOR'S mpleted on (mo/da	y/year)	2-7	7.5.8.4		. and this	record is true to the	best of my kn			
CONTRACTOR'S npleted on (mo/da ter Well Contracto	y/year)	2-7 3-8	7.5.5 This War	ter Well Record	and this was complete	record is true to the ted on (mo/day/yr)	best of my kn			
CONTRACTOR'S npleted on (mo/dater Well Contractor ler the business n	y/year)	2-7 38 EN WA	9 This Wat TAR WELL 3	ter Well Record	and this was completed by (si	record is true to the ted on (mo/day/yr) gnature)	best of my kn	owledge V. S.	and belief	. Kansas
CONTRACTOR'S npleted on (mo/dater Well Contractor the business in STRUCTIONS: Use	y/year)	2-7 3.8 EN WA3 I point pen, PLE	7.5.5 This War	ter Well Record	and this was compleby (si early. Please	record is true to the ted on (mo/day/yr) gnature) fill in blanks, under	best of my kn	owledge Pee e correct	and belief	. Kansa