

CROSS 1.33
 1 LOCATION OF WATER WELL Fraction: NE 1/4 SW 1/4 SW 1/4 Section Number: 22 Township Number: T 24 S Range Number: R 17 E(10)

Distance and direction from nearest town or city? LEWIS 3 3/4 E NORTHSIDE Street address of well if located within city?

2 WATER WELL OWNER: STERLING DRILLING CO RR#, St. Address, Box #: 129 Board of Agriculture, Division of Water Resources City, State, ZIP Code: STERLING, KS 67579 Application Number: T80-634

3 DEPTH OF COMPLETED WELL: 60 ft. Bore Hole Diameter: 9 in. to 60 ft., and in. to ft. Well Water to be used as: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Well's static water level: 20 ft. below land surface measured on DEC month 13 day 1980 year Pump Test Data: NONE Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile Casing Joints: Glued (checked) Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing dia: 5 in. to 40 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface: 12 in., weight 265 lbs./ft. Wall thickness or gauge No: 214

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) Screen or Perforation Openings Are: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) Screen-Perforation Dia: 5 in. to 60 ft., Dia in. to ft., Dia in. to ft. Screen-Perforated Intervals: From 40 ft. to 60 ft., From ft. to ft., From ft. to ft. Gravel Pack Intervals: From 30 ft. to 60 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: NONE 10 Fuel storage 14 Abandoned water well 1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 15 Oil well/Gas well 2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 16 Other (specify below) 3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines Direction from well: How many feet: ? Water Well Disinfected? Yes No (checked) Was a chemical/bacteriological sample submitted to Department? Yes No (checked) If Yes, date sample was submitted: month day year Pump Installed? Yes No (checked) If Yes: Pump Manufacturer's name: Model No.: HP Volts Depth of Pump Intake: ft. Pumps Capacity rated at: gal./min. Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on DEC month 13 day 1980 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 389 This Water Well Record was completed on DEC month 26 day 1980 year under the business name of MYERS WATER WELL SERVICE by (signature) [Signature]

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	10	CLAY			
10	30	SAND			
30	45	SANDY CLAY			
45	60	GRAVEL			

ELEVATION:

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY T 24 R 17 SEC. 24 NE 1/4 SW 1/4 SW 1/4