WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	SWNW NE					Topeka, Kansas 66620	
	unty _	Fraction #		Section	number	Township number Range number	
1. Location of well:	Edwards	10 1/4 D 1/47	1/4	=	? /	T 24 S R 17 EQ	
2. Distance and direction	from nearest town or city:		3. Own	er of well	:	Doug McLean	
Street address of well location if in city: Ya - E 1 - S 7 - E Street address of well location if in city:						none	
Street address of well location if in city: City, state				ate, zip o	ode:	Lewis, Kansas 5 67552	
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia 29 in. Completion date		
					7 Cable tool X Rotary Driven Dug		
NW K NE					Hollow rod Jetted Bored Reverse rotary		
					8. Use: Domestic Public supply Industry		
					X Irrigation Air conditioning Stock Lawn Oil field water Other		
SW SE					LawnOil field water Other 9. Casing: MaterialSteellight: Above or XXXX		
					Threaded Welded Surface 8 in.		
S					RMPPVCWeightIbs./ft. Dia_16 in. to 76 ft. depth Wall Thickness: inches or		
t → 1 Mile → → 1				From	To	Dia in. to ft. depth gage No ga.	
5. Type and calor af material				rrom	10	10. Screen: Manufacturer's name Doerrs	
Top soil				0	2	stool	
				-		Type	
Brown clay			2	8	Set between		
Brown sandy clay			8	16	Gravel pack? X Size range of material \$3/4 3/8		
Fine sand			16	20	11. Static water level: 21 ft. below land surface Date 12-13-74		
Sand and gravel medium loose				20	25	12. Pumping level below land surfaces: 41 ft. after 1 hrs. pumping 800 g.p.m.	
Sand and gravel little clay				25	30	ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.	
Sand and gravel clean coarse loose				30	62	13. Water sample submitted: mo./day/yr. X Yes No Date 12=13=74	
Blue clay				62	64	14. Well head completion:	
Fine blue gend and blue alow				64	66	Pitless adapter Inches above grade	
Fine blue sand and blue clay				04	00	15. Well grouted? X With: X Neat cement Bentonite Concrete	
Sand and gravel loose clean medium				66	75	Depth: From O ft. to 10 ft.	
Brown & white clay				75	80	16. Nearest source of possible contamination:	
				'		ft. 2001 Direction 5.5 Type 9054)81 Well disinfected upon completion? X Yes No	
	***************************************					17. Pump: Not installed	
						Manufacturer's name 2KRH 600 L.R.	
						Model number 3512ABRHP 00 Volts Length of drop pipe 60 ft. capacity 1000p.m.	
<u></u>						Type:	
					Submersible Turbine		
(Use a second sheet if needed)						Jet Reciprocating Other Other	
18. Elevation: 19. R	temarks:			-		20. Water well contractor's certification:	
						This well was drilled under my jurisdiction and this report	
Topogrophy:						is true to the best of my knowledge and belief. Rosencrantz-Bemis 134	
Hill						Regions none	
Slope X Upland						Address Great Bend. Ks. 67530	
Valley					/	Authorized representative	