WATE	R WELI	RECORD	Form WW	C <b>-5</b>	Division of Wate	r Resources; App. No.		
i .		F WATER WELL:	Fraction	OF 7 14	Section Number	Township Number		
	ty: Edw		SW 1/4 SE 1/4 or city street address of		29	T 24 S Systems (decimal degrees)	R 17 XE/W	
1	ed within c		i of city street address of	well if		• •	<del>-</del> '	
1 3/4 East, 1/8 South of Lewis					Latitude: Longitude:			
2 WA	TER WEI	LOWNER: David	Cross		Elevation:		·	
		ss, Box # : RR1 Bo			Datum:			
			Ks. 67552		Data Collection			
	ATE WE	LL'S 4 DEPTH OF C	COMPLETED WELL	8	Q ft.			
	ATION	IN Donth(s) Ground	hyotar Encountered (1)		ft (2)	ft (2)	ft.	
1	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
520	N Pump test data: Well water wasft. after hours pumping							
	Est. Yield. N/A.gpm: Well water was							
	WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below							
W	W   E   1 Domestic   3 Feedlot   6 Oil field water supply   9 Dewatering   12 Other (Specify below)   2 Irrigation   4 Industrial   7 Domestic (lawn & garden)   10 Monitoring well   Stock							
l cu								
5	Was a chemical/bacteriological sample submitted to Department? Yes No							
Sample was submitted								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clamped								
	E OF CAS Steel	<b>ING USED:</b> 5 Wro 3 RMP (SR) 6 Ash	ought Iron 8 Co bestos-Cement 9 Oth	ncrete tile ver (specify	below)	J JOINTS: Glued Welded	X Clamped	
		× /	erglass			Threaded		
Blank ca	sing diam	eter5 in. to	.60 ft., Diameter	i	n. to ft.,	Diameter	in. toft.	
Casing height above land surface24in., WeightSDR=26lbs./ft. Wall thickness or guage No								
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
Fromft. to								
GRAVEL PACK INTERVALS: From80								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug								
Grout Intervals: From								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (spec 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas wellNone								
Direction from well? How many feet?								
FROM	TO		OGIC LOG	FROM	TO	PLUGGING INT	ERVALS	
0	5	Top soil						
5 22	22 38	Sandy clay	ith clay streaks					
38	78	Sand & gravel w	illi Clay Streaks					
78	80	Clay						
		100 Mark 1990 1990 1990 1990 1990 1990 1990 199						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 6-30-08 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year)7-17-08								
under the business name of Rosencrantz- Bemis by (signature)  INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								