WATER WELL RECORD		Form W	WC-5	Division of Water	Resources App. No	31628
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number
County: Edwards		1/4 NE 1/4 SE		33	<u> </u>	R 17 □E ØW
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning		
from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees) Longitude: (in decimal degrees)		
1/2 South, 3 East of Lewis				Elevation: (in decimal degrees)		
A WARRED WAY I OWNED				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
2 WATER WELL OWNER: Jim McClaren RR#, Street Address, Box #: 1345 US Hwy 50				Collection Method:		
Charles and Call			☐ GPS unit (Make/Model:			
Minaley, NO 07547				Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 158 ft.						
WITH AN "X" SECTION BOX				ο νο		
N SECTION BOX	WELL'S STATIC WATER LEVEL 49 ft below land surface measured on molday/yr, 1-24-13					
Pump test data: Well water was $(10.5)^{\circ}$ ft. after 3 hours pumping 1034 gra						
NW NE EST. YIELD, 11.53, gpm. Well water was						oinggom
W K E Bore Hole Diameter 30 in. to						t.
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SW SE						
Was a chemical/bacteriological sample submitted to Department? Yes V No						********
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ✓ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .16 in. to .158 ft., Diameter in. to						
Casing height above land surface. 18 in., Weight Sch.40 lbs./ft., Wall thickness or gauge No.						
Steel Stainless Steel PVC Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From 90 ft to 70 ft From ft to ft						
GRAVEL PACK INTERVALS: From						
From						
Grout Intervals: From						
What is the nearest source of possible contamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None						
	n well					**************************************
FROM TO	LITHOLOG		FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS
0 20	Sand					
20 26	Sandy tan clay					
26 90	Sand & gravel- clean,si loose w/ few small clay					
90 139	Tan clay & caliche	streaks	 	<u> </u>		Was and the state of the state
139 155	Sand & gravel- fine to s	small	+		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
155 158	Sandy reddish brown c				,	
	broken rock					water
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigsize \) constructed, \(\bigsize \) reconstructed, or \(\bigsize \) plugged						
under my jurisdiction and was completed on (mo/day/year) .4-18-13						
under Well Well Contractor's Electise No. 1994. This water Well Record was completed on (mo/day/year) 1994-1995. Under Well Re						
INSTRUCTIONS. Use typewriter of ball point pen. PLEASE PRESS FIRMLY and PRINT clearly Please fill in blanks and check the correct answers. Send these correct						
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Dink Copy						