

Rig # 4

Fox 2-23

1 LOCATION OF WATER WELL: Fraction NE 1/4 SW 1/4 SW 1/4 Section Number 23 Township Number T 24 S Range Number R 18 EW

Distance and direction from nearest town or city street address of well if located within city?
 2 West + 1 1/2 North Lewis, Ks

2 WATER WELL OWNER: Farold Fox Contractor Red Tiger Drig Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: Lewis, Ks Red Wichita, Ks Application Number: T83-321
 City, State, ZIP Code

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 2x2 grid with NW, NE, SW, SE quadrants. An 'X' is marked in the SW quadrant.]

4 DEPTH OF COMPLETED WELL: 80 ft. ELEVATION: [Blank]
 Depth(s) Groundwater Encountered: 1 ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: 36 ft. below land surface measured on mo/day/yr 8-12-83
 Pump test data: Well water was [Blank] ft. after [Blank] hours pumping [Blank] gpm
 Est. Yield [Blank] gpm: Well water was [Blank] ft. after [Blank] hours pumping [Blank] gpm
 Bore Hole Diameter [Blank] in. to [Blank] ft., and [Blank] in. to [Blank] ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes [Blank] No [Blank]; If yes, mo/day/yr sample was submitted [Blank]
 Water Well Disinfected? Yes [Blank] No [Blank]

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter [Blank] in. to [Blank] ft. Dia [Blank] in. to [Blank] ft. Dia [Blank] in. to [Blank] ft.
 Casing height above land surface: 3 ft Below lbs./ft. Wall thickness or gauge No. [Blank]
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) [Blank]
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) [Blank]
 SCREEN-PERFORATED INTERVALS: From [Blank] ft. to [Blank] ft., From [Blank] ft. to [Blank] ft., From [Blank] ft. to [Blank] ft.
 GRAVEL PACK INTERVALS: From [Blank] ft. to [Blank] ft., From [Blank] ft. to [Blank] ft., From [Blank] ft. to [Blank] ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 06 ft. to 3 ft., From [Blank] ft. to [Blank] ft., From [Blank] ft. to [Blank] ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? North How many feet? 100 North loc

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
80	36	Sand & Gravel	6.0		cu ft
36	6	@ 1 days	4.1		cu ft
6	3	Neat Cement	.41		cu ft

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-12-83 and this record is true to the best of my knowledge and belief. Kansas
 Water Well Contractor's License No. [Blank] This Water Well Record was completed on (mo/day/yr) 8-13-83
 under the business name of Red Tiger Drig Co by (signature) Clayton Engel

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
 T
 24
 R
 18
 EW
 SEC.
 23
 NE 1/4
 SW 1/4
 SW 1/4