

W2 SE NW

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: Edwards Fraction: C NW 1/4 1/4 Section Number: 23 Township Number: T 24 S Range Number: R 18W E/W

Distance and direction from nearest town or city street address of well if located within city? 1 W, 1 N of Lewis, Kansas

2 WATER WELL OWNER: George McClaren Red Tiger Drilling 1720 Ks. St. Bank Bldg. Board of Agriculture, Division of Water Resources McClaren 3-23 RR#, St. Address, Box #: Route 2 Wichita, Ks. 67202 Application Number: T83-435 City, State, ZIP Code: Lewis, Ks. 67547

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Section box diagram] 4 DEPTH OF COMPLETED WELL: 72 ft. ELEVATION: Unknown Depth(s) Groundwater Encountered: 1. 35 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL: 35 ft. below land surface measured on mo/day/yr 9/23/83 Pump test data: Well water was 60 ft. after hours pumping gpm Est. Yield 60 gpm Well water was 8 ft. after hours pumping gpm Bore Hole Diameter: 8 in. to 72 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded Blank casing diameter: 5 in. to 52 ft., Dia. in. to ft., Dia. in. to ft. Casing height above land surface: 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 52 ft. to 72 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 10 ft. to 72 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 10 ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? South How many feet? 60

LITHOLOGIC LOG table with columns FROM, TO, LITHOLOGIC LOG. Row 1: 0, 30, Sandy Clay. Row 2: 30, 72, Sand and Gravel.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/23/83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 186. This Water Well Record was completed on (mo/day/yr) 11/7/83 under the business name of Kellys Water Well Service by (signature) Jerry Board

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY T 24 R 18 E 23 C 1/4 W 1/4

DD