



USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County Edwards	Township name WAYNE W	Fraction CNW 1/4	Section number 34	Town number 24	Range number 18
Distance and direction from nearest town or city: 1 1/2 W 1/4 S 1/4 W. LEWIS Street address of well location if in city:				3 Owner of well: Don McAllister Address: Box 181, Lewis, Kansas 67552		
Locate with "X" in section below:  Sketch map: 				4 Well depth: 70 ft. Date of completion 3/20/75 Well diameter 16 in.		
2 Type and color of material				5 <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input checked="" type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well		
From To				7 Casing: Material TRANS Height: above/below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 8 in. Diam. 16 in. to 44 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 16 in. to — ft. depth		
				8 Screen: Manufacturer JOHNSON Type SAVED Dia. 16 Slot/gauze 3/16 Length 26' Set between 44 ft. and 70 ft. Fittings: 1 1/2 - 1/4 Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/8 - 1/4		
sand				9 Static water level: 20 ft. below land surface Date 12/17/74		
				10 Pumping level below land surfaces: 70' ft. after 1/2 hrs. pumping 700 g.p.m. 49 ft. after 1 hrs. pumping 800 g.p.m. Estimated maximum yield 1000 g.p.m.		
soil				11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date —		
sand(fine) RED				12 Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> Inches above grade		
clay BROWN.				13 Well grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite — Depth: From 0 ft. to 10 ft.		
sand(fine) RED				14 Nearest source of possible contamination: ft. 700 Direction S.E. Type BARN YARD Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
sand				15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Western Land Roller Model number LKB HP 64 Volts Length of drop pipe 60 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
clay BROWN				16 Remarks: elevation 6' x 12' PLATFORM 8" THICK.		
sand and gravel RED GOOD.				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Darling Drilling Co. 189 Business name License No. Address 1211 W. 4th, Hutchinson, Kansas Signed Donald J. Darling Date 3.29.75 Authorized representative		
clay BLUE.				16 Remarks: elevation 6' x 12' PLATFORM 8" THICK. Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		

24 18W 34 C NW

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5