


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas State Dept. Of Health  
(Water Well Contractors)  
Forbes-Bldg. 740  
Topeka, Kansas 66620

#2

1 Location of well:	County: <b>Edwards</b>	Township name: <b>WAYNE WEST</b>	Fraction: <b>CNW 1/4</b>	Section number: <b>34</b>	Town number: <b>24</b>	Range number: <b>18</b>
Distance and direction from nearest town or city: <b>2 1/2 W 1/4 S 1/4 E. LEWIS.</b>				3 Owner of well: <b>Don McAllister</b> Address: <b>Box 181 Lewis, Kansas 67552</b>		
Locate with "X" in section below: 			Sketch map:			4 Well depth: <b>80</b> ft. Date of completion: <b>3/16/75</b> Well diameter: <b>16</b> in.
2 Type and color of material			From		To	
			soil		0	2
clay		<i>Brown</i>		2	15	
sand(fine)		<i>Red</i>		15	25	
sand(med.)		<i>Red</i>		25	50	
sand(med. to coarse)		<i>Red</i>		50	80	
clay		<i>Brown.</i>		80	81	
<b>Test Pumping</b>						
1400 RPM		800 GPM		33ft. Lift		
1500 RPM		900 GPM		35ft. Lift		
1600 RPM		1000 GPM		37ft. Lift		
1700 RPM		1100 GPM		38ft. Lift		
1800		1200		39		
1900		1300		40		
2000		1400		43		
2200		1600+		47		
(use a second sheet if needed)						
16 Remarks: elevation  <i>6' x 12' x 8' thick. Platform.</i>				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Darling Drilling Co.</b> Business name License No. Address: <b>W. A. Hutchinson, Kansas</b> Signed: <i>[Signature]</i> Date: <b>3-29-75</b> Authorized representative		

5  Cable tool  Rotary  Driven  Dug  
 Hollow rod  Jetted  Bored  Reverse rotary

6 Use:  Domestic  Public supply  Industry  
 Irrigation  Air conditioning  Commercial  
 Test well

7 Casing: Material: *Iron* Height: above/below  
Threaded  Welded  Surface **8"** in.  
Diam. **16** in. to **54** ft. depth Drive shoe?  Yes  No  
**16** in. to **54** ft. depth

8 Screen:  
Manufacturer: *Johnson*  
Type: *Slat* Dia. **16**  
Slot/gauze: **3/16** Length **26**  
Set between **54** ft. and **80** ft.  
Fittings:  
Gravel pack  Yes  No Size range of material: **48-144**

9 Static water level:  
**20** ft. below land surface Date **12/19/74**

10 Pumping level below land surfaces:  
\_\_\_\_ ft. after \_\_\_\_ hrs. pumping \_\_\_\_ g.p.m.  
\_\_\_\_ ft. after \_\_\_\_ hrs. pumping \_\_\_\_ g.p.m.  
Estimated maximum yield **1100** g.p.m.

11 Water sample submitted:  
 Yes  No Date \_\_\_\_

12 Well head completion:  
 Pitless adapter  Inches above grade

13 Well grouted?  Yes  No  
 Neat cement  Bentonite   
Depth: From **0** ft. to **10** ft.

14 Nearest source of possible contamination:  
ft. \_\_\_\_ Direction: *None* Type \_\_\_\_  
Well disinfected upon completion?  Yes  No

15 Pump:  Not installed  
Manufacturer's name: **Western Land Roller**  
Model Number: **329 12KB** HP **6.9** Volts \_\_\_\_  
Length of drop pipe **60** ft. capacity **1000** g.p.m.  
Type:  
 Submersible  Turbine  
 Jet  Reciprocating  
 Centrifugal  Other

94 1800 34 2000