


USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

#3

1 Location of well:	County Edwards	Township name Wayne W1	Fraction SE 1/4	Section number 35	Town number 24	Range number 18		
Distance and direction from nearest town or city: Street address of well location if in city: 1/2 IN. 3/4 S 1/4 IN Lewis			3 Owner of well: Don McAllister Address: Box 181 Lewis, Kansas 67552					
Locate with "X" in section below: N  W E S 1 Mile		Sketch map:		4 Well depth: 80 ft. Date of completion 3/21/75 Well diameter 16 in.				
2 Type and color of material		From		To		5 <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
		soil		0		2		
		clay		2		15		
		sand (fine)		15		25		
		gravel (good)		25		85		
		clay		85		86		
		Test pumping						6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>
		800 GPM		31 ft. Lift				7 Casing: Material stainless Weight: above/below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 6 in. Diam. 16 in. to 54 ft. depth Drive shoe: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No — in. to — ft. depth
		900 GPM		32 ft. Lift				8 Screen: Johnson Manufacturer Johnson Type slotted Dia. 16 Slot/gauze 3/16 Length 26 Set between 54 ft. and 80 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/8 - 1/4
		1000 GPM		35 ft. Lift				9 Static water level: 19 ft. below land surface Date 12/19/74
1100 GPM		37 ft. Lift				10 Pumping level below land surfaces: — ft. after — hrs. pumping — g.p.m. — ft. after — hrs. pumping — g.p.m. Estimated maximum yield 1400 g.p.m.		
1200 GPM		39 ft. Lift				11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date —		
(use a second sheet if needed)						12 Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> Inches above grade		
16 Remarks: elevation						13 Well grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> — Depth: From 0 ft. to 10 ft.		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						14 Nearest source of possible contamination: ft. — Direction — Type — Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
						15 Pump: <input type="checkbox"/> Not installed Manufacturers name Western Land Roller Model number 3-279 12 HP HP 12 Volts — Length of drop pipe 100 ft. capacity — g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
						17. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Darling Drilling Co. 189 Business name License No. Address: 1211 W. 4th Hutchinson, Kansas Signed: Donald J. Darling Date 3-21-75 Authorized representative		

24 18W 35 CS