WATE	R WEI	LL RECORD	Form W	WC-5	Division of Wate	r Resources App. No	o. L	
1 LOC	CATION	OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
Coun	ity: Edw	ards ards	1/4 SE 1/4 SE	1/4 SE 1/4	22	T 24 S	R 18 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from	nearest t	own or intersection: If at o	Latitude:		(in decimal degrees)			
1 w	1 west of Lewis, Ks.					Longitude: (in decimal degrees)		
					Elevation:			
2 WATER WELL OWNER: Dave McClaren					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
Dave Modiaren					Collection Method:			
RR#, Street Address, Box #: 1676 M Road City, State, ZIP Code : Lewis Ks 67552					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City	, State, Z	Lewis, k	(s. 67552		Est. Accuracy:	3 m \square 3-5 m \square	5-15 m $\square > 15$ m	
3 LOC	ATE WE	LL			Est. Needidey.	3 m, _ 3 3 m, _	3 13 m,	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .75 ft.								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	N WELL'S STATIC WATER LEVEL40ft. below land surface measured on mo/day/yr7-7-10							
Pump test data: Well water wasft. after hours pumping gpn								
EST. YIELD.NAgpm. Well water wasft. after hours pumping								
W E Bore Hole Diameter IVin. toft., andin. toft.								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ✓ Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
		ΓS: 🗹 Glued 🔲 Clar						
Casing diameter .5 in. to .75 ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface18								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Septic tank								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None								
		m well Seepage p		_	· —		·····	
FROM		LITHOLOG		FROM			JGGING INTERVALS	
_	3		IIC LOO	I KOW	TO LITTO. L	oo (cont.) or rec	COLITO HTIERVALD	
3	14	Top soil						
14	18	Clay						
	43	Fine sand						
18	43	Sand & gravel-medium						
43		Clay		+				
47	68	Sand & gravel		-				
68	71	Dakota shale						
71	75	. Reddish brown shale						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .77-10								
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) .7-19-10								
under the business name of Rosencrantz-Bemis by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephon	e 785-296	-5522. Send one copy to WAT	ER WELL OWNER and	retain one for y	our records. Include fe	e of \$5.00 for each	constructed well. Visit us at	
http://ww	w.kdheks.g	gov/waterwell/index.html.						
KSA 82a	1-1212				Check: 🔀 W	hite Copy, 🔲 Bl	ue Copy, Pink Copy	