WATER WELL RECORD Form WWC-5 Division of Water Resources App. No. Range Num  1 LOCATION OF WATER WELL: Fraction Section Number Township No. Range Num	
Country Edwards NW 4 SW 4 NW 4 1 T 24 S R 18 XX	XIX XIW
County: Edwards NW 4 SW 4 NW 4 T 1 24 S R 10 42 Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:	
	d degrees)
from nearest town or intersection: If at owner's address, check here	al degrees)
Flexation:	
3 3/4 North of Lewis Elevation:	l.
2 WATER WELL OWNER: Jim McClaren Collection Method:	
DP# Street Address Box # RR 2 Box 58	)
Gir, Certa 7TD Code : Lowis Ks 67552 Digital Map/Photo, Topographic Map, Lan	id Survey
Est. Accuracy: $\square < 3 \text{ m}$ , $\square 5-15 \text{ m}$ , $\square >$	-15 m
A DEPTH OF COMPLETED WELL	
SECTIVON DOV. Doubles Groundwater Fincountered (1) ft (2) tt. (3)	ft.
N WELL'S STATION ATER LEVEL OUT TO BEIOW land SHEACH HEASURED ON HIO/GAY/YI	, <del>186</del> 7
Pump test data: Well water wast. after nours pumping	···· gpm
FST VIELD N/A onm Well water was	gpm
W NW - NE - EST. YIELD. W.M. gpm. Well water was	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well	Ļ
Domestic Feedlot Oil field water supply Dewatering XI Other (Special)	y below)
- SW - SE - Domestic Peediot On Inclu Water supply  Irrigation Industrial Domestic-lawn & garden Monitoring well Stock	
Was a chemical/bacteriological sample submitted to Department? Yes X No	4
	F
S If yes, mo/day/yr sample was submitted	
	2
5 TYPE OF CASING USED: Steel X PVC Other	•
CASING JOINTS: M. Glued   Clamped   Welded   Threaded	
Coging diameter 5 in to 60 ft Diameter in to ft. Diameter	ft.
Casing height above land surface	,
TYPE OF SCREEN OF PERFORATION MATERIAL:	
Steel Stainless Steel NPVC Other (Specify)	.å
Brass Galvanized Steel None used (open hole)	(
SCREEN OR PERFOR ATION OPENINGS ARE:	4.
Gaura pyranned Torch cut Drilled holes None (open hole)	
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)	îs C
Continuous stot	ft.
From	ft.
From ft. to ft., From ft. to GRAVEL PACK INTERVALS: From 60 ft. to 20 ft., From ft. to	ft.
From ft. to ft., From ft. to	Il.
6 CPOUT MATERIAL.   Neat coment   Cement grout   X Rentonite   Other	
Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. to ft.	ft.
What is the nearest source of possible contamination:	
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Mother (specify bel	low)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well	et.
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas wellNone	
Direction from well	
FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INT	<u> </u>
0 5 Top soil	
5 24 Sandy clay	
24 59 Sand & gravel- med	
	1.
59 60 Light gray shale	
	<del>,</del>
	<u> </u>
	·
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐	plugged
under my jurisdiction and was completed on (mo/day/year) 2-1-12 and this record is true to the best of my knowledge an	ad bellet.
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year)2-20-	A.A
under the business name of Rosencrantz-Bemis by (signature)	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Sem	a three copies
AVI O 1 1000 CIVI To the Oct Onice 400 Charles Vancate	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well	l. Visit us at