WATE	R WE	LL RECORD	Form W	WC-5	Di	ivision of Water	Resources App. No).	
		OF WATER WELL:	Fraction		Secti		Township No.	Range Number	
Cour	ntv: Edv	vards	1/4 SE 1/4 SE		4	6	T 24 S	R 18 □E 🗹 W	
Stree	et/Rural	Address of Well Location;	if unknown, distance &		Global Positioning System (GPS) information: Latitude:				
from nearest town or intersection: If at owner's address, check here .					Laut	Longitude: (in decimal degrees) Longitude: (in decimal degrees)			
3 North, 4 West of Lewis						Elevation:			
THE PART I CHANGE						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: MPG Pipeline RR#, Street Address, Box #: 16770 Imperial Valley. Ste 105						Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Houston, TX 77060						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
nousion, 17/1000						Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40 ft.									
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							ft. (3) ft.	
WELL'S STATIC WATER LEVEL 13 ft. below land surface measured on mo/day/yr. 9-22-15								ay/yr. 9-22-15	
Pump test data: Well water wasft. after hours pumping gp.								oing gpm	
EST. YIELD. N/Agpm. Well water was									
w	W E Bore Hole Diameter 19in. to								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Industrial Domestic love & garden Monitoring well Stock									
Was a chemical/bacteriological sample submitted to Department? Yes No									
	S If yes, mo/day/yr sample was submitted								
mile Water well disinfected? ☑ Yes □ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5									
Casing height above land surface18									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From35									
From							o fr		
GRAVEL PACK INTERVALS: From49						ft., From	ft. t	o ft.	
From									
Grout Intervals: From									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None									
Direc	ction from	n well	n					• • • • • • • • • • • • • • • • • • • •	
FROM	ТО	LITHOLOG		FROM	TO			GGING INTERVALS	
0	3	Top soil							
3	10	Brown clay							
10	18	Gravel- small to med, clean							
18	35 37	Med gravel w/ clay streaks							
35 37	40	Brown clay Shale							
31	40	Silale							
							1 1111		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .9-44-19 and this record is true to the best of my knowledge and belief									
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) 9-30-15									
under the business name of Rosencrantz- Bemis Ent Inc by (signature) Clearly INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to									
	Kansas De	partment of Health and Environr	nent, Bureau of Water, Geol	ogy Section, 1	000 SW J	ackson St. Suite	420 Toneka Kansas	66612-1367	
telephone /85-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									