Distance and direction from non-	NW 1/4 NW 1/4 SE	1/4   4	mber ¦ Township ¦ T <b>24</b>		
5 N. 2 1/2 W. OF LEWIS, KANS.	rest town or city street a		•		
WATER WELL OWNER: JIM RR#, St. Address, Box # : P.O.	KATZ 319		d of Agriculture, D		
City, State, ZIP code : LEWI	S, KS 67858-	Арр	ication Number:		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLET Depth(s) Grounde		LEVATION: 0 1. 20 ft.	2. 0 ft.	3. <b>0</b> fi
\	;   WELL'S STATIC WATE   ; Pump tes	ER LEVEL <b>20</b> ft. be stdata: Well water w			
	Estimated Yield	O gpm: Well water	was 0 ft. after	0 hours p	umping 0 g
¥	E ; Bore Hole Diameter	8.75 in. to	70 ft., and	in. to	0 ft.
: SW SE	. WELL WATER TO BE U	SED AS: 01 DOMESTIC			
		teriological sample sample was submitted	submitted to depart		disinfected? Y
TYPE OF SCREEN OR PERFORATION M	ATERIAL: 07 PVC	O lbs/ft. Wall t	hickness or gauge N	o 0 ft. o. 26	
Casing height above land surfact TYPE OF SCREEN OR PERFORATION M SCREEN OR PERFORATION OPENINGS (	ATERIAL: 07 PVC ARE: 08 SAW CUT From 60 ft. to	0 lbs/ft. Wall t	 ft. to 0 ft.	o. <b>26</b>	
TYPE OF SCREEN OR PERFORATION M SCREEN OR PERFORATION OPENINGS I	ATERIAL: 07 PVC ARE: 08 SAW CUT  From 60 ft. to From 0 ft. to	0 lbs/ft. Wall t 70 ft., From 0 0 ft., From 0 70 ft., From 0	ft. to 0 ft. ft. to 0 ft.	o. <b>26</b>	
TYPE OF SCREEN OR PERFORATION MISCREEN OR PERFORATION OPENINGS ( SCREEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. What is the nearest source of picking of the company of	ATERIAL: 07 PVC  ARE: 08 SAW CUT  From 60 ft. to  From 0 ft. to  From 0 ft. to  From 0 ft. to  From 0 ft. to	0 lbs/ft. Wall t 70 ft., From 0 0 ft., From 0 70 ft., From 0 0 ft., From 0	ft. to 0 ft. ft. to 0 ft. ft. to 0 ft.	o. <b>26</b>  0 ft.	many feet?
TYPE OF SCREEN OR PERFORATION MISCREEN OR PERFORATION OPENINGS ( GCREEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. What is the nearest source of picking of the company of	ATERIAL: 07 PVC ARE: 08 SAN CUT  From 60 ft. to From 25 ft. to From 0 ft. to From 0 ft. to  LITHOLOGIC LOG	0 lbs/ft. Wall t 70 ft., From 0 0 ft., From 0 70 ft., From 0 0 ft., From 0	ft. to 0 ft.	o. <b>26</b>  0 ft.	
TYPE OF SCREEN OR PERFORATION MISCREEN OR PERFORATION OPENINGS ( SCREEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL O3 BENTONITE  Grout Intervals: From O ft. What is the nearest source of publication from well? ALL  FROM ; TO ; O ; 11 ; TAN CLAY	ATERIAL: 07 PVC ARE: 08 SAW CUT  From 60 ft. to From 0 ft. to From 0 ft. to From 0 ft. to  To 25 ft., From Describe contamination: CAT  LITHOLOGIC LOG	0 lbs/ft. Wall t	ft. to 0 ft.	0 ft. How	
TYPE OF SCREEN OR PERFORATION MISCREEN OR PERFORATION OPENINGS ASSERTED OF PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  GRAVEL PACK INTERVALS:  GROUT MATERIAL O3 BENTONITE Grout Intervals: From O ft. What is the nearest source of produce of produce of the perform of the performance of the	ATERIAL: 07 PVC ARE: 08 SAW CUT  From 60 ft. to From 0 ft. to From 0 ft. to From 0 ft. to  To 25 ft., From Describe contamination: CAT  LITHOLOGIC LOG	0 lbs/ft. Wall t	ft. to 0 ft.	0 ft. How	