			1A/A'	TER WELL RECO	DD 50\AA/	UCE VOA	92- 4242					
1 LOCATI	ON OF WA	TER WELL:	Fraction		T	Section Numb	per Tow	nship Number		ange Nun		
County: Edwards Distance and direction from nearest town or			SE		NE ¼	33		24 S	R	19	-E(W)	
			t town or city stree nsley, Kansas	et address of well i	f located within	city?						
2 WATE	R WELL O	NNER: Weste	ern Resources,	Inc.								
RR#, St. A	ddress, Bo	×# : P.O. I	Box 889				Board	of Agriculture, [Division of V	Vater Res	sources	
City, State,	ZIP Code	Topel	ka, Kansas 66	601			Applica	tion Number:				
3 LOCATI	E WELL'S	LOCATION	4 DEPTH OF	COMPLETED WEI	LL 15	ft. EL	EVATION:		. 216.7.19.			
→ WITH A		ECTION BOX:		indwater Encounte								
T r			WELL'S STAT	IC WATER LEVE	L 6.75	ft. below land	d surface mea	sured on mo/d	ay/yr	2/2/98	3	
		v	Pu	mp test data: We	ll water was	.NA ft	. after	hours	pumping		gpm	
	. NW .	XNE	Est Yield]	NAgpm: We	ll water was	ft	. after	hours	pumping		gpm	
w Zie				meter 8	in. to	15	t., and		. in. to		ft	
≅ W ├			E WELL WATE	R TO BE USED AS	6: 5 Public w	ater supply	8 Air coi	nditioning '	11 Injection	well .		
·			1 Domest	ic 3 Feedlot	6 Oil field v	vater supply	9 Dewat	ering	12 Other (S	Specify be	elow)	
]]-	SW	SE	2 Irrigatio		i 7 Lawn an							
1			Was a chemic	cal/bacteriological	sample submitte					/yr samp	le was	
Y L		5	submitted					isinfected? Ye		No √		
5 TYPE C	OF BLANK	CASING USED	D:	5 Wrought iron	n 8 Co	ncrete tile	CAS	ING JOINTS: G	lued	. Clampe	d	
ີ 1 St	eel	3 RMP (SR)	6 Asbestos-Ce		ner (specify b		•	/elded			
(2)P\	/C	4 ABS		7 Fiberglass				•	rreaded. 🍾			
Blank casii	ng diamete	r .2	in. to	.5 ft., Dia	i	n. to	ft,	Dia	in. to		ft	
Casing hei	ght above I	and surface	3.72	in., weight			s./ft. Wall th	ickness or gaug	je No			
TYPE OF	SCREEN C	R PERFORATI	ION MATERIAL			PVC		10 Asbestos-c	ement			
1 St	eel	3 Stainle	ess steel	5 Fiberglass	8	RMP (SR)		11 Other (spec	cify)			
2 Br	ass	4 Galvar	nized steel	6 Concrete tile	9	ABS		12 None used	(open hole))		
SCREEN (OR PERFO	RATION OPEN	IINGS ARE:	5	Gauzed wrappe	d	8 Saw c	ut	11 No	ne (open	hole)	
1 C	ontinuous s	lot (3	Mill slot	6	Wire wrapped		9 Drilled	holes				
2 Lo	ouvered shu	utter 4	Key punched		Torch cut			(specify)				
SCREEN-	PERFORAT	ED INTERVAL		5 ft.								
				ft.								
G	RAVEL PA	CK INTERVAL		4 ft.								
			From	ft.								
6 GROUT	MATERIA	L: 1 Nea	at cement	2 Cement grout		entonite						
Grout Inter	vals: Fro	m	ft.to ^j	Lft, From	1	ft. to 4	∮ft, i	From	ft. to		ft	
What is th	e nearest s	ource of possil	ble contamination	:		10 Li	vestock pens	14	Abandone	ed water v	well	
1 Sept	ic tank	4 La	teral lines	7 Pit pri	vy	11 F	uel storage		Oil well/G			
2 Sew			ess pool		ge lagoon		ertilizer storaç		Other (sp			
3 Wat	ertight sew	erlines 6 Se	eepage pit	9 Feedy				secticide storageFormer. UST				
Direction 1		Southeast		~	· · · · · · · · · · · · · · · · · · ·		many feet?		CTRITETS !			
FROM	10	Class E.	LITHOLOGI	<u> </u>	FROM	1 10		PLUGGIN	GINTERVA	LO		
0	3	Clay, Dark									-	
3	10	Clay, Light					1					
10	15	Sand, Brow	<u> </u>									
							<u> </u>					
							+					
		ļ					+					
						_						
							1					
		<u> </u>					NATIVA	# 00101 <i>2</i> 01 =	11			
								# 00191531 , F				
	1	1				I .	Project No.	me: Kinsley Pov	ver Plant			

GeoCore # 568, KDHE # U1 024 11110

×