1			WAT	ER WELL RECORD	Form WWC	-5 KSA 8	32a-1212			
j*		TER WELL:	Fraction			ection Numb	1	nip Number	Range Number	
County:	Edwa			₄ NW ₄ NI		33	т 2	4 s	R 19 E(W)	
			-	address of well if locate	d within city	?			•	
4t	h & Colo	ny Streets			.,					
2 WATE	R WELL OV	VNER: Kins	ley Cooper	ative Exchange						
RR#, St.	Address, Bo		& Colony S				Board	of Agriculture,	Division of Water Resources	
City, State, ZIP Code Kinsley, Ks. 67547					Application Number:					
3 LOCAT	E WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL	17.5	ft. ELE'	VATION:			
AN "X	' IN SECTIO	N BOX:	Depth(s) Groun	ndwater Encountered 1	13.5) 	t. 2	ft,	3.	
T	1		WELL'S STATI	C WATER LEVEL 9.	57 ft.	below land	surface measure	ed on mo/day/y	02-08-93	
	1	X - NE							umping gpm	
i i	NW	- Nt							umping gpm	
ب ب	i		Bore Hole Dian	neter . 7. 7/8 in. to	20		., and	ii	n. to	
i w	I	,	WELL WATER	TO BE USED AS:	5 Public wa	ter supply	8 Air condition	oning 11	Injection well	
7) (),,		1 Domesti	c 3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12	Other (Specify below)	
ll ľ	SW	SE	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring	well ,	• • • • • • • • • • • • • • • • • • • •	
	i	, ,	Was a chemica						s, mo/day/yr sample was sub	
Ţ		\$	mitted			v	Vater Well Disin	fected? Yes	No V	
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Cond	rete tile	CASING	JOINTS: Glue	ed Clamped	
1 Si	teel	3 RMP (Si	R)	6 Asbestos-Cement	9 Othe	r (specify be	low)	Wek	ded	
(2)P	VC	4 ABS		7 Fiberglass				Thre	aded	
Blank cas	ing diameter	2	.in. to	5 ft., Dia	in. t	o	ft., Dia .		in. to ft.	
Casing he	eight above l	and surface		in., weight		lb	s./ft. Wall thickn	ess or gauge N	√oSch. 40	
TYPE OF	SCREEN O	R PERFORATION	N MATERIAL:		⊘ P	vc	10	Asbestos-cem	ent	
1 Steel 3 Stainless steel 5 Fiberglass					8 RMP (SR)			11 Other (specify)		
2 Brass 4 Galvanized steel				6 Concrete tile	te tile 9 ABS		12	None used (or	pen hole)	
SCREEN OR PERFORATION OPENINGS ARE:				5 Gauze	5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
					wrapped	rapped 9 Drille		oles		
2 Lc	ouvered shut	ter 4 Ko	ey punched	7 Torch						
SCREEN-	PERFORAT	ED INTERVALS:	From	.7.5 ft. to		17.5 .ft., F	rom	ft.	toft.	
			From	ft. to	· · · · · · · ·	ft., F	rom	ft.	toft.	
•	GRAVEL PA	CK INTERVALS:	From						toft.	
 			From				rom		to ft.	
6 GROU	T MATERIAL	-			(3)Bent				• • • • • • • • • • • • • • • • • • • •	
Grout Inte				ft., From	. 1 ft.	to 6	ft., Froi	m .	ft. toft.	
What is th	ne nearest so	ource of possible	contamination:			_	estock pens		Abandoned water well	
1 Septic tank 4 Lateral lines 7 Pi					(11) Fuel storag		el storage	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 8 Sewage la					on				Other (specify below)	
3 W	atertight sew	er lines 6 Seep	• .	9 Feedyard		13 Inse	ecticide storage			
	from well?	north			T-==-:		any feet?	80		
FROM 0	10 2	DARK BROW	LITHOLOGIC VN ORGANIC		FROM	ТО		PLUGGING	INTERVALS	
2		BROWN SII		CLAI	<u> </u>	<u> </u>				
8.5	8.5		MEDIUM SANI		-		MIAN O			
14	20		COARSE SANI				MWA-2			
14	20	FINE TO C	CARSE SANI	J/GRAVEL	 	<u></u>				
				· / - · · · · · · · · · · · · · · · ·						
						 				
										
			····			-	<u> </u>			
	l									
	 				+	 				
	 				1	 	 			
	 				+	+	 			
	l					<u> </u>	<u> </u>			
									der my jurisdiction and was	
completed	on (mo/day/	vear)	12-29-92		-	and this red	ord is true to the	e best of my kn	owledge and belief. Kansas	
Water Wel	Contractor's	s License No	527	This Water We		as completed	on (mo/day/yr)		-15-93	
Water Wel	l Contractor's	s License No	527 SeoCore Sei		ell Record w	as completed by (sign	d on (mo/day/yr)	Rolf 01-	-15-93	