

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Edwards

Location listed as:

Section-Township-Range: None Given

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): _____

Location changed to:

34-24 S-19 W

NW NW NW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: Well address, city street map, and mapping tool on KGS website.

initials: DRJ date: 3/3/2006

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
 COUNTY: EDWARDS 1/4 1/4 1/4 T S R

Distance and direction from nearest town or city street address of well if located within city?
 816 E. 2ND KINSLEY, KS 67547-

2 WATER WELL OWNER: BROKER, BILLY Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: 816 E. 2ND Application Number:
 City, State, ZIP code: KINSLEY, KS 67547-

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

NW	NE	SE	SW

4 DEPTH OF COMPLETED WELL 105 ELEVATION: 0
 Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.
 WELL'S STATIC WATER LEVEL 67 ft. below land surface measured on mo/day/yr 07/13/05
 Pump testdata: Well water was 0 ft. after 0 hours pumping 0 gpm
 Estimated Yield 35 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm
 Bore Hole Diameter 10 in. to 105 ft., and in. to 0 ft.
 WELL WATER TO BE USED AS: DOMESTIC
 Was a chemical/bacteriological sample submitted to department? No ;
 If yes, mo/day/yr sample was submitted Water well disinfected? Yes

5 TYPE OF BLANK CASING USED: PVC CASING JOINTS: GLUED
 Blank casing diameter 5 in. to 105 ft., Dia in. to 0 ft., Dia in. to 0 ft.
 Casing height above land surface 12 in., weight 200 lbs/ft. Wall thickness or gauge No. 21
 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC
 SCREEN OR PERFORATION OPENINGS ARE: SAW CUT

SCREEN PERFORATED INTERVALS: From 80 ft. to 100 ft., From 0 ft. to 0 ft.
 From 0 ft. to 0 ft., From 0 ft. to 0 ft.
 GRAVEL PACK INTERVALS: From 22 ft. to 105 ft., From 0 ft. to 0 ft.
 From 0 ft. to 0 ft., From 0 ft. to 0 ft.

6 GROUT MATERIAL BENTONITE
 Grout Intervals: From 0 ft. to 22 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.
 What is the nearest source of possible contamination: NONE
 Direction from well? How many feet? 0

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	20	01 TOPSOIL 37 FIN-COAR SAN 06 SMALL GRAVEL			
20	40	04 COARSE SAND 09 GRAVEL 05 CLAY			
40	60	32 TAN CLAY			
60	80	32 TAN CLAY 29 SANDSTONE			
80	105	29 SANDSTONE			
105	120	32 TAN CLAY			
120	160	16 GRAY CLAY 26 RED CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed under my jurisdiction and was completed on (mo/day/year) 07/13/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) 08/02/05 under the business name of JOB'S WELL SERVICE, INC. by (signature) *Jimie Cook*