	w	ATER WELL REC	ORD F	form WWC-5	KSA 82a	-1212 ID I	No. MW-9)			
1 LOCATION OF			Se	Section Number Townsh			hip Number Range Number				
County: Edwar	ds	SE 1/4	SE	1/4 NW	14	33	т	24 5	3	R 19	_E(W)
Distance and direct 703 US F	tion from nearest to Highway 56, Kins		address of v	well if located	d within city?						Ū
2 WATER WELL	OWNER: Kansas	Department of	Health an	d Environm	ent						
RR#, St. Address, City, State, ZIP Co	Box# : 1000 S\ de : Topeka	W Jackson , KS					App	rd of Agricultu lication Numb	er:		
LOCATE WELL'S	LOCATION WITH	4 DEPTH OF	OMPLETE	D WELL		ft. ELEV					
AN "X" IN SECTI	ON BOX:	Depth(s) Groun	ndwater En	countered	1		ft. 2		ft. 3	•••••	ft.
I		WELL'S STATI				юw Iand suпа ft.					
NW-	NE	Est. Yield	gpn	n: Well wate				ho	urs pumpir	ng	
1444 -		WELL WATER 1 Domestic		ED AS: 5	Public water	supply	8 Air cond	ditioning	11 Injectio	n well (Specify belo	· • · · ·
w ! ;	K ! E	2 Irrigation		ustrial 7	Domestic (la	er supply wn & garden)	(10) Monitor	ing wellMW	/-9	Opecity belo	w <i>)</i>
" ;					•	• •	•				
sw-	SE	Was a chemica	al/bacteriolo	gical sample	submitted to	Department?	Yes No	√ ; If y	es, mo/dav	//vrs sample	was sub-
1	1	mitted				· v	Vater Well Di	sinfected? Ye	s	No	
	S										
TYPE OF BLAN	NK CASING USED	:	5 Wrough	nt iron	8 Concr			NG JOINTS:	Glued	Clamped	
1 Steel 3 RMP (SR)				os-Cement	9 Other (specify below)		•			<u>.</u>	
2)PVC Blank casing diame	4 ABS	4 in to	7 Fibergla							¥	
Biank casing diame Casing height abov	eler e land sufface	Flush Mo	unt in we	ight	***************************************	111. 10	lhs /ft Wall	thickness or	guage No	Sch 40	
TYPE OF SCREEN		, ig. it					0 Asbestos-Cement				
1 Steel 3 Stainless Steel			5 Fiberglass		8 RI	8 RMP (SR)		11 Other (Sp	ecify)		
2 Brass	4 Galvani	ized Steel	6 Concre	ete tile	9 A	38		12 None use	d (open ho	ole)	
SCREEN OR PER					zed wrapped		8 Saw c		11 1	None (open h	iole)
1 Continuous		Mill slot		6 Wire	wrapped		9 Drilled	holes (specify)			ft
2 Louvered sh		Key punched	8			ft., Fron		• • • • • • • • • • • • • • • • • • • •			
SCREEN-PERFOR	KATEDINTERVALS	From		π. το ft. to		ft., Fron	П П	••••••	π. το ft. to	•••••••	π. ft.
GRAVEL	PACK INTERVALS	S: From		ft. to	18	ft., Fron	n	•••••	ft. to	•••••	ft.
		From		ft. to		ft., Fron	n		ft. to	•••••	ft.
GROUT MATE	RIAI: 1 Nea	at cement	(2)Cem	ent grout	(3)Ber	tonite	4 Other				
	From1										
What is the neares							stock pens			oned water w	
1 Septic tank 4 Lateral lines			7 Pit privy			11)Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage lagoon			12 Fertilizer storage			16 Other (specify below)		
3 Watertight s		9 Feedyard							•••••		
Direction from well	? On site				T		iny feet? US	Ts have bee			
FROM TO		LITHOLOGIC	LOG		FROM	то		PLUGGIN	G INTERV	/ALS	
0 5.5				***************************************	 						
5.5 8.5 8.5 14											
14 18		10.01.01.01							***		
18	Cana							· · · · · · · · · · · · · · · · · · ·			· · ·
			 								
										····	
	Flush mount waiver for site a										
<u>, </u>						L					
J CONTRACTOR	S OR LANDOWNE	ER'S CERTIFICA	TION: This	water well w	vas (1) constr	ructed, (2) red	constructed,	or (3) plugged	d under m	y jurisdiction	and was
ompleted on (mo/d	ay/year) tt/.!0/.4 V.!	08		This Mate	r Well Pecerd	and this re	ecord is true t	to the best of r	ny knowied 2010 /	age and belief	. Kansas
nder the business					TARK LIGGOLD	was complet hv	(signature)_	J	ann		••••••
		~ = 4 (1 O)	a, Colution	,			, , , , , , , , , , , , , , , , , , , ,	1 crusul	FVI100		