		W	ATER WELL REC	ORD	Form WW	C-5 K	SA 82a-1	212 10	No. S	VE-1			
		TER WELL:	Fraction				Sec	tion Numb		Township Numb	oer	Range Nu	mber
	<u>Edwards</u>		SE 1/4	SE		W 1/4		33		т 24	S	R 19	E(W)
		from nearest to nway 56, Kinsl	wn or city street a ey, KS	address	of well if loc	ated withir	n city?						
2 WATE	R WELL OW	NER: Kansas	Department of	Health	and Enviro	nment							
RR#, St. A	Address, Box , ZIP Code	:# : 1000 S\ : Topeka	<i>N</i> Jackson . KS							Application Nu	mber:	Division of Water F	
			4 DEPTH OF C										
AN "X" I	N SECTION	BOX:	Depth(s) Groun	dwater	Encountered	i 1	6 hala		ft. 2		ft. 3		ft.
lг	1	1	Pur	WELL'S STATIC WATER LEVELNAft. below land surface measured on mo/day/yr									
	Est. Yield gpm: Well water was												
-	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 injection well												
w_	W X 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering (12) Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well SVE-1												OW)
"	1	,					,,,,,,	a. ga. a.c.	.,	.			
-	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was su												
	mitted water Well Disinfected? Yes No												
	<u> </u>												
5 TYPE	OF BLANK	CASING USED:		5 Wro	ught iron	8	Concre	te tile		CASING JOINTS	S: Glue	d Clampe	d
1 Ste		3 RMP (S	R)		estos-Ceme		•	specify bel	iow)		Weld	led	
2PV) 	4 ABS	4in. to	7 Fibe								aded	
		and surface	in. to Flush Moi	unt in	π., Di	a	•••••••	in. to	the #	π., Dia	or allea	in. to le No. Sch 40	π.
	•	R PERFORATION		111.,	weight	•••••	(7)PV0		105./1	10 Asbest			•••••
1 Ste		3 Stainles		5 Fibe	erglass			P (SR))	
2 Bra	SS	4 Galvani	zed Steel	6 Con	crete tile		9 ABS	3		12 None u	sed (op	en hole)	
SCREEN	OR PERFOR	RATION OPENI				Guazed w				Saw cut		11 None (open	hole)
1 Continuous slot 3Mill slot 6 Wire wrapped 9 Drilled holes 2 Louwered shutter 4 Key punched 7 Torch cut 10 Other (specify)											4		
	vered shutte		(ey punched	3									
SCREEN-	PERFORAT	ED INTERVALS	: From			·Ω		ft., Fro	om		ft. to		tt. #
	GRAVEL PA	CK INTERVALS	8: From	2.5	ft. to	·8	······································	ft., Fro	om		ft. to		ft.
]			From	••••••	ft. to		•••••	ft., Fro	mc		ft. to		ft.
6 GROU	JT MATERIA	L: 1 Nes	at cement	2 C	ement grout		(3)Bento	onite	4 Oth	er			
Grout Inte	rvals: From	n0.5	ft. to										
What is th	e nearest so	urce of possible	contamination:					10 Liv	estock p	ens	14 A	bandoned water v	well
1 Septic tank 4 Lateral lines					7 Plt privy			(11)Fue		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool					8 Sewage lagoon			12 Fe	orage	16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit					9 Feedyard				ecticide				
	rom well? (On site	LITUOI COIC	1.00			2014		nany feet	? USTs have b			
FROM	TO	0:14	LITHOLOGIC	LOG			ROM	то		PLUGG	ING IN	TERVALS	
0	8	Silt											
88	 												
	<u> </u>												
			-										
						_							
	ļ	Eluch mount	t waiver for site approved				-						
		riush mount	waiver for site a	phiove	u								
7 CONTR	L	D 421561111	'DIO OFFICE :-	1011			\						
	ACTOR'S C	H LANDOWNE	R'S CERTIFICAT	ION: T	nis water we	was (1)	construc	ted, (2) re	econstruc	cted, or (3) follogs	ed und	er my jurisdiction	and was
Water Well	Contractor's	Licence No .70	0.8	••••••	This W	ater Well I	Record w	and this /as comple	ted on 6	mo/day/vr) 29/28	<i>⊮</i> 2010		n. Nansas
under the b	usiness nam	ne of Aquaterr	a Environmenta	i Soluti	ons, Inc				y (signat		M	m	
INSTRUC	TIONS: Use type	writer or ball point pe	en. <i>PLEASE PRESS FIL</i>	RMLY and	PRINT clearly. F					answers. Send top thre			
		of Water, Geology Se ach constructed well	ction, 1000 SW Jackson	n St., Suite	420, Topeka, K	ansas 66612	:-1367. Tele(phone 785-29	6-5522. Se	nd one to WATER WE	LL OWNE	R and retain one for yo	ur ur

write